



United States
Department of
Agriculture

Forest Service

Pacific Northwest
Research Station


General Technical
Report
PNW-197

November 1986



Research Natural Areas in Oregon and Washington: Past and Current Research and Related Literature

Sarah E. Greene, Tawny Blinn, and Jerry F. Franklin



Authors

SARAH E. GREENE is a research forester. TAWNY BLINN is an editorial assistant. and JERRY F. FRANKLIN is a chief plant ecologist. U.S. Department of Agriculture. Forest Service. Pacific Northwest Research Station. Forestry Sciences Laboratory. 3200 Jefferson Way. Corvallis, Oregon 97331.

Foreword

In 1971, I joined the Pacific Northwest Forest and Range Experiment Station as Station Director and, among other duties, became chairman of the Interagency Committee on Research Natural Areas. It was a chair that I held for 4 years, and it is a pleasure to reflect, more than 10 years later, on the progress that has been made.

Oregon and Washington already had a vigorous program of preservation of Natural Areas for scientific and educational purposes in 1971. In preparation at that time were several publications important to identifying and protecting Natural Areas, including a description of natural vegetation of Oregon and Washington (Franklin and Dyrness 1973), an inventory of Federal Research Natural Areas in Oregon and Washington (Franklin and others 1972),^{1/} and a comprehensive inventory of Natural Areas recognized by the Society of American Foresters (Buckman and Quintus 1972).

The Interagency Committee, with participation from The Nature Conservancy and the States of Oregon and Washington then asked, "What should a well-balanced program of Research Natural Area preservation include?" This led to the publication, "Research Natural Area Needs in the Pacific Northwest: A Contribution to Land-Use Planning" (Dyrness and others 1975). Today there are 96 Research Natural Areas in the Northwest, and others are being considered by cooperating Federal and State agencies and private organizations in a well-coordinated and visionary program.

^{1/}"Federal Research Natural Areas in Oregon and Washington: A Guidebook for Scientists and Educators" contains descriptions of 45 of the 48 Research Natural Areas on Federal land in 1972. Since the guidebook was published, 24 supplements, each describing a Research Natural Area, have been published. Supplement 13 (Greene 1982) revised the description of Neskowin Crest RNA given in the guidebook because the area was enlarged in 1980.

The need to encourage and stimulate the use of these areas for scientific and educational purposes was recognized in the early 1970's. Even then, some research was underway. But today, in 1986, large gains have been made in the visibility and use of Research Natural Areas. And that is the purpose of this publication to take stock of the information garnered from Research Natural Areas and the ongoing research. This publication addresses one of the questions that will assure a well-rounded and responsible system of Research Natural Areas for the Northwest: What use has been made and is being made of Research Natural Areas?

ROBERT E. BUCKMAN
Deputy Chief, Research (retired)
U.S. Department of Agriculture, Forest Service
Corvallis, Oregon

Abstract

Greene, Sarah E.; Blinn, Tawny; Franklin, Jerry F. Research Natural Areas in Oregon and Washington: past and current research and related literature. Gen. Tech. Rep. PNW-197. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station; 1986. 115 p.

This publication lists all completed and current research projects in Research Natural Areas in Oregon and Washington and in those few Research Natural Areas in Idaho that are administered by National Forests in Oregon. The list includes project title, status, source of funding, and principal investigator and address. A list of publications pertaining to Research Natural Areas is also included. Where possible, publications and research projects are correlated. The publication outlines the scientific use and importance of Research Natural Areas as research sites for applied and basic studies. More than 200 projects and 500 publications are included for 88 Research Natural Areas and 23 proposed Research Natural Areas.

Keywords: Natural areas (research), bibliographies (research natural area), land management, research.

Contents

iv	Key to Abbreviations
1	Objectives of Research Natural Areas
1	Research Natural Area Program in the Pacific Northwest
2	Purpose of the Publication
3	Organization of This Publication
3	Research Projects and Related literature
63	References
110	Appendix: List of Research Natural Areas

Key to Abbreviations

BLM - U.S. Department of the Interior, Bureau of Land Management
DOD - U.S. Department of Defense, Navy
DOE - U.S. Department of Energy
FS - U.S. Department of Agriculture, Forest Service
FWS - U.S. Department of the Interior, Fish and Wildlife Service
NPS - U.S. Department of the Interior, National Park Service
NSF - National Science Foundation
RNA - Research Natural Area

Objectives of Research Natural Areas

A Research Natural Area (RNA) is a physical or biological unit or both, in which natural conditions are maintained insofar as possible by letting natural physical and biological processes prevail without human intervention (Federal Committee on Ecological Reserves 1977). In some circumstances, human intervention may be justified to maintain the feature for which the RNA was set aside. The introduction of prescribed fire in seral stands historically maintained by fire is an example.

The objectives for establishing RNA's are:

- To preserve examples of all significant natural ecosystems for comparison with those influenced by humans.
- To provide educational and research areas for ecological and environmental studies.
- To preserve gene pools for typical and rare and endangered plants and animals.

In 1928, the Forest Service established the first RNA, the Santa Catalina Natural Area, on the Coronado National Forest in northern Arizona. Since then, the program has grown nationwide and has included designations by other Federal agencies and cooperation with State natural area programs and The Nature Conservancy.

Research Natural Area Program in the Pacific Northwest

The Research Natural Area program in Oregon and Washington was begun in 1931 when the Metolius RNA was established on the Deschutes National Forest in Oregon. To date (1986), 96 RNA's in Oregon and Washington on Federal lands are managed by the U.S. Department of Agriculture--Forest Service; the U.S. Department of the Interior--Bureau of Land Management, National Park Service, and Fish and Wildlife Service; the U.S. Department of Defense-Navy; and the U.S. Department of Energy. Management differs somewhat between agencies, but the agencies all concur on the objectives for RNA's. An interagency committee meets twice a year to conduct RNA business and discuss common problems.

Scientific use of RNA's has always been encouraged in Oregon and Washington. Research Natural Areas provide useful and essential information to land managers as well as contribute to basic science. Research activities must be essentially nondestructive, and the scientific and educational values of the areas must not be impaired. Each agency has a set of guidelines for use, but none is particularly restrictive as long as the essential characteristics and processes of the RNA's are maintained.

Purpose of the Publication

The research conducted on RNA's in the Pacific Northwest includes forest site productivity, plant community classification, air pollutant monitoring, measurement of environmental parameters like air and soil temperature, nutrient cycling, role of woody debris in forest ecosystems, succession, grazing effects, and litter decomposition rates, as well as other types of research. A research project may last from several days to more than 50 years. Research on seedling survival in the Thornton T. Munger RNA in southern Washington was begun in the early-1930's. Also at Thornton T. Munger RNA, a study of the growth, yield, and mortality of an old-growth Douglas-fir--western hemlock forest was begun in 1947, and measurements are still being taken. Many publications have resulted from this study, and the plot information has been used in recent studies both inside and outside the RNA.

Some research in RNA's complements manipulative research being done in nearby or adjacent Experimental Forests, including the Cascade Head, H.J. Andrews, and Wind River Experimental Forests; for example, sediment routing in the undisturbed watershed of the Hagan proposed RNA has been compared with sediment routing in several disturbed watersheds in the nearby H.J. Andrews Experimental Forest. The dynamics of riparian vegetation have been studied in the Hagan proposed RNA and Middle Santi am RNA (100- and 450-year-old stands, respectively) and compared with the dynamics of riparian vegetation along streams in 40- and 5-year-old clearcuts in the H.J. Andrews Experimental Forest.

Several research projects have been conducted in RNA's throughout Oregon and Washington. The distribution and role of conifer needle endophytes were studied in 21 RNA's. Ecological monitoring of long-term effects of energy development has been studied in RNA's in the Oregon Coast Range, the Cascade Range in western Oregon, the High Lava Plains, and the Columbia Basin geographical provinces.

Interest and work in RNA's have increased dramatically in the last 15 years. Despite this increase, the value of RNA's is not adequately recognized by land managers. Without baseline information on natural systems, we cannot be sure what effects our management practices may have on the productivity of the land. As Federal agencies begin monitoring their management plans, though, RNA's should play an increasingly important role as baselines for comparison.

Many researchers and academicians, as well as land managers, are not aware of the existence of RNA's. Those who use RNA's need additional funds to conduct research in them. Support for past work has come from a variety of sources, primarily Federal and university. Sometimes private and even personal funds have been used. A paucity of funding continues, however.

This publication identifies more than 200 research projects that have been conducted during the 55-year history of the program. More than 500 publications relating to RNA's are also included. We hope this publication will make researchers and land managers more aware of the large contribution RNA's have made to science and to better land management in the Pacific Northwest.

Organization of This Publication

Research Natural Areas are listed in alphabetical order. Research projects conducted at each RNA are listed next and numbered. Information about each research project is given in the following order:

Title of research project
Status of project (current or completed, with initiation and completion date if applicable)
Source of funding
Principal investigator and address

Scientific papers resulting from research conducted at the RNA are listed next, by author and date, and the complete references are given in "References." Numbers in parentheses indicate that such papers resulted from the corresponding research project.

The appendix lists RNA's by State and managing agency.

Research Projects and Related Literature

Abbott Creek RNA, Rogue River National Forest, OR (FS)

1. Composition and distribution of southwestern Oregon mixed-conifer forests
Completed; 1969-76
Oregon State University
Rod Mitchell, Colorado Women's College, Denver, CO 80220
2. Distribution and role of conifer needle endophytes (fungi on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon, Eugene, OR 97403

3. Ecological site classification of southwestern Oregon
Current; 1981
FS and BLM
Bradley Smith, Forest Science Department, Oregon State
University, Corvallis, OR 97331
4. Flora of the Abbot Creek RNA
Completed; 1969-79
Pacific Northwest Natural Area Committee
Rod Mitchell, Colorado Women's College, Denver, CO 80220
5. Genetic variation in the Noble-red fir complex
Current; 1967
FS
Jerry Franklin, Forestry Sciences Laboratory, 3200
Jefferson Way, Corvallis, OR 97331
6. Vegetation classification of old-growth wildlife habitat
Current; 1983
FS
Tom Spies, Forestry Sciences Laboratory, 3200
Jefferson Way, Corvallis, OR 97331

Carroll and Carroll 1978 (2); Franklin and Dyrness 1973;
Franklin and others 1972; Mitchell 1972 (1,4), 1979 (1,4);
Mitchell and Moir 1976 (1,4); Old-Growth Definition Task Group
1986 (6); Spies and others 1985 (6); Vale 1981.

Alum Beds Proposed RNA, Nez Perce National Forest, ID.
Administered by Wallowa-Whitman National Forest, OR (FS)

1. Ecological classification of grasslands/shrublands
Current; 1982
FS
Charles Johnson, Wallowa-Whitman National Forest, Baker, OR
97814

Ashland RNA, Rogue River National Forest, OR (FS)

1. Community types of the Siskiyou Mountain Province
Current; 1975
FS
Tom Atzet, Siskiyou National Forest, Grant's Pass, OR 97526
2. Cone and seed crop production by mixed-conifer forests.
Current; 1982
FS
Sarah Grenne, Forestry Sciences Laboratory, 3200 Jefferson
Way, Corvallis, OR 97331

3. Distribution and role of conifer needle endophytes (fungi on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon, Eugene, OR 97403
4. Ecological site classification of southwestern Oregon
Current; 1981
FS and BLM
Bradley Smith, Forest Science Department, Oregon State University, Corvallis, OR 97331
5. Prescribed burning and vegetation response
Current; 1982
FS and Southern Oregon State College
Sarah Greene, Forestry Sciences Laboratory, 3200 Jefferson Way, Corvallis, OR 97330
6. Vegetation-environment relationships in the Siskiyou Mountains
Completed; 1963-69
Oregon State University
Richard Waring, Forest Science Department, Oregon State University, Corvallis, OR 97331
7. Vertebrates of Ashland RNA
Completed; 1973
Pacific Northwest Research Natural Area Committee
Stephen P. Cross, Biology Department, Southern Oregon State College, Ashland, OR 97520
8. Wildlife utilization of riparian habitats in western Oregon
Completed; 1979
Southern Oregon State College and BLM
Stephen P. Cross, Biology Department, Southern Oregon State College, Ashland, OR 97520

Atzet and Waring 1970 (6); Atzet and Wheeler 1984 (1, 4); Carroll and Carroll 1978 (3); Cross 1973 (7); Dennis 1959; Franklin and others 1972.

Baqby RNA, Mount Hood National Forest, OR (FS)

1. Amount and role of coarse woody debris in northwestern conifer forests
Current; 1977
FS
Jerry Franklin, Forestry Sciences Laboratory, 3200 Jefferson Way, Corvallis, OR 97331

2. Distribution and role of conifer needle endophytes (fungi on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon, Eugene, OR 97403
3. Habitat type classification for western Cascade forests
Current; 1967
FS
Jerry Franklin, Forestry Sciences Laboratory, 3200 Jefferson Way, Corvallis, OR 97331
4. Vegetation classification of old-growth wildlife habitat
Current; 1983
FS
Tom Spies, Forestry Sciences Laboratory, 3200 Jefferson Way, Corvallis, OR 97331

Carroll and Carroll 1978 (2); Franklin and Hemstrom 1981; Franklin and others 1981 (1,3); Halvorsen and others 1985; Moir and others 1973b; Old-Growth Definition Task Group 1986 (4); Spies and others 1985 (4); Thomas and others 1979 (1).

Baird Basin RNA, Little Pend Oreille Wildlife Refuge, WA (FWS)

Franklin and others 1972.

Beatty Creek RNA, Roseburg District, OR (BLM)

1. Biosystematic studies of Phacelia capitata (Hydrophyllaceae), a species endemic to serpentine soils in south western Oregon
Completed; 1982-85
Oregon State University Herbarium and personal (J. Stephen Shelly)
J. Stephen Shelly, The Nature Conservancy, Helena, MT 59601

Shelly 1985.

Bills Creek Proposed RNA, Nez Perce National Forest, ID, administered by Wallowa-Whitman National Forest, OR (FS)

1. Ecological classification of grasslands
Current; 1983
FS
Charles Johnson, Wallowa-Whitman National Forest, Baker, OR 97814

Blackwater Island RNA, Ridgefield Wildlife Refuge, WA (FWS)

1. Monitoring of plant communities after withdrawal of grazing
Current; 1986
FS, Washington State Department of Natural Resources, and
Oregon State University
Robert E. Frenkel, Geography Department, Oregon State Uni-
versity, Corvallis, OR 97331

Morrison 1973; Wiberg and Greene 1981.

Bluejay RNA, Winema National Forest, OR (FS)

1. Classification of ecosystems in the Mazama Pumice Region
Completed; 1966-85
FS
Len Volland, USDA Forest Service, Pacific Northwest Region,
319 S.W. Pine, Portland, OR 97208
2. Distribution and role of conifer needle endophytes (fungi
on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon,
Eugene, OR 97403

Carroll and Carroll 1978 (2); Franklin and others 1972; Volland
1976 (1).

Boardman RNA, Department of the Navy, WA (DOD)^{2/}

1. Breeding chronology, habitat utilization, and nest-site
selection of the long-billed curlew in north-central
Oregon
Completed; 1978-80
Oregon State University and Northern Prairie Wildlife
Research Center (FWS)
Geoffrey Pampush, The Nature Conservancy, Portland, OR
97210
2. Bunchgrass (Agropyron spicatum) and cheatgrass (Bromus
tectorum): study patches, genesis, dynamics, and status
Current; 1982
University of Oregon and The Nature Conservancy
Alan Copsey, University of Oregon, Eugene, OR 97403

^{2/}Boardman RNA is on the Boardman Bombing
Range in eastern Oregon, but all correspondence
should be directed to: Department of the Navy,
Western Divlsl0n, Naval Facilities Command,
Building 138, Room 215, Naval Station, Seattle,
WA 98115.

3. Effects of fire and grazing on Washington ground squirrels
Completed; 1982-84
Eastern Oregon State College and The Nature Conservancy
Burr J. Betts, Eastern Oregon State College, La Grande, OR
97850
4. Foraging ecology and habitat characteristics of the
burrowing owl in the Columbia Basin, Oregon Completed;
1980-83
FWS
Greg Green, Envirosphere Company, 10900 N.E. 8th,
Bellevue,
WA 98004-4405
5. Geographic range, habitat requirements, and a preliminary
population study of Spermophilus washingtoni
Completed; 1978-80
NSF
Leif Carlson, Lewis and Clark College, Portland, OR 97219
6. Heptachlor contamination in eggs of hawks and owls
Completed; 1978-83
FWS
Charles Henny, U.S. Fish and Wildlife Service, 480 S.W.
Airport Road, Corvallis, OR 97330
7. Shrub cover and shrub productivity
Completed; 1978-81
DOE
Colleen McShane, Battelle Inc., Richland, WA 99352

Carlson and others 1980 (5); Christy 1980; Green 1983 (4); Green
and Anthony 1986 (4); Green and Morrison 1983 (4); Henny and
others 1983 (6), 1984; Hoffnagle 1980; Janes 1983; Mayfield and
Kjelmer 1984; Pampush 1981 (1).

Boner Flat Proposed RNA, Wallowa-Whitman National Forest, OR
(FS)

1. Ecological classification of grasslands
Current; 1980
FS
Charles Johnson, Wallowa-Whitman National Forest, Baker, OR
97814

Boston Glacier RNA, North Cascades National Park, WA (NPS)

Hubley 1956; LaChapelle 1962; Post and others 1971; Ringe 1973;
Wiberg and McKee 1978.

Brewer Spruce RNA, Medford District, OR (BLM)

1. Distribution and role of conifer needle endophytes (fungi on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon, Eugene, OR 97403
2. Ecological site classification of southwestern Oregon
Current; 1981
FS and BLM
Bradley Smith, Forest Science Department, Oregon State University, Corvallis, OR 97331
3. Ecology of Port-Orford-cedar
Current; 1974
NSF and Oregon State University
Don Zobel, Department of Botany and Plant Pathology, Oregon State University, Corvallis, OR 97331

Atzet and others 1984 (2); Atzet and Wheeler 1984 (2); Carroll and Carroll 1978 (1); Franklin and others 1972; Hawk 1971 (3); Waring 1969; Zobel 1979 (3), 1983 (3); Zobel and others 1985 (3).

Buckhorn Mountain Proposed RNA, Olympic National Forest, WA (FS)

1. Plant associations and habitat types of the Olympic National Forest
Current; 1982
FS
Jan Henderson, Olympic National Forest, Olympia, WA 98507

Bull Run RNA, Mount Hood National Forest, OR (FS)

1. Community classification of the Silver Fir Zone
Completed; 1979-82
FS
Nancy Halvorsen, Mount Hood National Forest, Gresham, OR 97030
2. Distribution and role of conifer needle endophytes (fungi on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon, Eugene, OR 97403

Carroll and Carroll 1978; Franklin and others 1972; Hemstrom and others 1982 (1).

Butter Creek RNA, Mount Rainier National Park and Gifford
Pinchot National Forest, WA (NPS and FS)

1. Avalanche communities and their environmental relationships
Completed; 1976-81
University of Washington
Martha Cushman, Botany Department, University of Washing-
ton, Seattle, WA 98105
2. Classification of subalpine meadow communities in Wash-
ington Cascade Range
Completed; 1968-73
NPS and Oregon State University
Jan Henderson, Olympic National Forest, Olympia, WA 98507
3. Distribution and role of conifer needle endophytes (fungi
on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon,
Eugene, OR 97403
4. Forest disturbance history of Mount Rainier National Park
Completed; 1975-80
NPS and FS
Miles Hemstrom, Willamette National Forest, P.O. Box 10607,
Eugene, OR 97440
5. Forest ecosystems of Mount Rainier National Park
Completed; 1975-80
NPS and FS
Jerry Franklin, Forestry Sciences Laboratory, 3200
Jefferson Way, Corvallis, OR 97331
6. Relation of site index to habitat types in the Pacific
Silver Fir Zone
Current; 1961
FS
Jerry Franklin, Forestry Sciences Laboratory, 3200
Jefferson Way, Corvallis, OR 97331

Bradley and Driver 1981; Cushman 1981 (1); Franklin and others
1971, 1972, 1986a (5); Hemstrom 1979a (4), 1979b (4); Hemstrom
and Franklin 1982 (4); Henderson 1973 (2); Moir and others
1979a (5), 1979b (5).

The Butte RNA, Salem District, OR (BLM)

1. The Butte RNA monitoring program
Current; 1984
Salem District BLM Botany Project
Larry R. Scofield, District Botanist, Bureau of Land
Management, Salem, OR 97302
2. East and west slope effects on age structure and diameter
of Pseudotsuga menziesii
Completed; 1984-85
Linfield College
Richard Farris, Biology Department, Linfield College,
McMinnville, OR 97128

Camas Swale RNA, Eugene District, OR (BLM)

1. Distribution and role of conifer needle endophytes (fungi
on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon,
Eugene, OR 97403
2. Examination of small stand openings in a Douglas-fir forest
in the Willamette Valley foothills (student research
project)
Completed; 1977
University of Oregon
Dick Vander Schaaf, The Nature Conservancy, 1234 N.W. 25th
Street, Portland, OR 97210
3. Forest succession and aspects of microclimate on a south-
facing slope in the BLM Camas Swale Research Natural Area
(student research project)
Completed; 1977
University of Oregon
Carl Johannessen, Geography Department, University of
Oregon, Eugene, OR 97403

Carroll and Carroll 1978 (1); Curtis 1986a.

Canyon Creek RNA, Malheur National Forest, OR (FS)

1. Community classification of the Blue Mountain region
Current; 1956
FS
Fred Hall, USDA Forest Service, Pacific Northwest Region,
319 S.W. Pine, Portland, OR 97208

2. Distribution and role of conifer needle endophytes (fungi on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon, Eugene, OR 97403
3. Long-term photo analysis of vegetation change
Current; 1956
FS
Fred Hall, USDA Forest Service, Pacific Northwest Region, 319 S.W. Pine, Portland, OR 97208

Carroll and Carroll 1978 (2); Franklin and others 1972; Hall 1971 (1), 1973-(1), 1978 (1), 1979a, 1979b (1), 1980a, 1980b.

Carolyn's Crown RNA, Salem District, OR (BLM)

1. Carolyn's Crown RNA monitoring program
Current; 1984
Salem District BLM Botany Project
Larry R. Scofield, District Botanist, Bureau of Land Management, Salem, OR 97302
2. Northern spotted owl designated management area (SOMA) monitoring study
Current; 1984
Salem District BLM Wildlife Project
Wayne Logan, Wildlife Biologist, Bureau of Land Management, Salem, OR 97302

Cedar Flats RNA, Gifford Pinchot National Forest, WA (FS)

1. Classification of the Western Hemlock Zone
Completed; 1982-86
FS
Nancy Halvorsen, Mount Hood National Forest, Gresham, OR 97030
2. Distribution and role of conifer needle endophytes (fungi on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon, Eugene, OR 97403

3. Effect of mud flow deposits on soil development in Cedar Flats
Current; 1980
FS
Jerry Franklin, Forestry Sciences Laboratory, 3200 Jefferson Way, Corvallis, OR 97331
4. Long-term monitoring of posteruption channel adjustments and rates of erosion and deposition after eruption of Mount St. Helens
Current; 1980
U.S. Geological Survey
Holly Martinson, 5400 MacArthur Boulevard, Vancouver, WA 98660
5. Mammal and bird monitoring in old-growth wildlife habitats
Current; 1983
FS
S.D. West, College of Forest Resources, University of Washington, Seattle, WA 98105
6. Mortality after mudflow inundation
Current; 1980
FS.
Jerry Franklin, Forestry Sciences Laboratory, 3200 Jefferson Way, Corvallis, OR 97331
7. Snag and log decomposition study
Current; 1980
FS
Jerry Franklin, Forestry Sciences Laboratory, 3200 Jefferson Way, Corvallis, OR 97331
8. Vegetation classification of old-growth wildlife habitat
Current; 1983
FS
Tom Spies, Forestry Sciences Laboratory, 3200 Jefferson Way, Corvallis, OR 97331
9. Vegetation recovery on terrace forest after mudflow inundation
Current; 1980
FS
Jerry Franklin, Forestry Sciences laboratory, 3200 Jefferson Way, Corvallis, OR 97331

10. Floristic inventory
Completed; 1980-82
Pacific Northwest Research Natural Area Committee
Lynn C. Cornelius and Reid Schuller, Department of Natural
Resources, Mail Stop EX-13, Olympia, WA 98504

Carroll and Carroll 1978 (2); Cornelius and Schuller 1982 (10); Franklin and others 1972; Frenzen and Franklin 1986 (9); Halpern and Harmon 1983 (9); Janda and others 1981; Mordorff 1984; Spies and others 1985 (8); Topik and others 1985 (1); U.S. Department of Agriculture, Forest Service 1981.

Cherry Creek RNA, Coos Bay District, OR (BLM)

1. Baseline water monitoring: flow, temperature, sediment
Current; 1982
BLM and Coos and Curry Counties
Lloyd Fritz, Coos Bay District, Bureau of Land Management,
Coos Bay, OR 97420
2. Composition and structure of old-growth forests in the
Oregon Coast Range
Completed; 1974-78
Oregon State University and NPS
Glenn Juday, Institute of Northern Forestry, Fairbanks, AK
99701
3. Distribution and role of conifer needle endophytes (fungi
on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon,
Eugene, OR 97403
4. Vegetation classification of old-growth wildlife habitat
Current; 1983
FS
Tom Spies, Forestry Sciences Laboratory, 3200 Jefferson
Way, Corvallis, OR 97331

Carroll and Carroll 1978 (3); Franklin and others 1972; Old-Growth Definition Task Group 1986 (4); Spies and others 1985 (4).

Chowder Ridge Proposed RNA, Mount Baker-Snoqualmie National Forest, WA (FS)

1. Bryophytes of Chowder Ridge
Completed; 1983-85
University of British Columbia and Western Washington University
Ron Taylor, Western Washington University, Bellingham, WA 98225
2. Foraging preferences of alpine birds in relation to snow accumulation
Completed; 1983-85
Western Washington University
Rod Norvell, 5809 Western View Place, Mount Airy, MD 21771
3. Genecological studies of Cerastium arvense
Completed; 1983-85
Western Washington University
Ronald Taylor, Western Washington University, Bellingham, WA 98225
4. Lichens of Chowder Ridge
Completed; 1984-85
Arizona State University and Washington Native Plant Society
Bruce Ryan, Arizona State University, Flagstaff, AZ 86011
5. Pollination ecology of an alpine fell-field community
Completed; 1983-85
Western Washington University and Washington Native Plant Society
Ron Taylor, Western Washington University, Bellingham, WA 98225

Norvell 1985; Ryan 1985 (4); Shaw 1982 (5); Shaw and Taylor 1986 (5); Wagstaff 1986 (3).

Coquille River Falls RNA, Siskiyou National Forest, OR (FS)

1. Behavior of Phytophthora root rot
Current; 1950
Oregon State University
Lewis Roth and Everett Hansen, Department of Botany and Plant Pathology, Oregon State University, Corvallis, OR 97331.

2. Distribution and role of conifer needle endophytes (fungi on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon, Eugene, OR 97403
3. Ecology of Port-Orford-cedar
Current; 1974
NSF and Oregon State University
Don Zobel, Department of Botany and Plant Pathology, Oregon State University, Corvallis, OR 97331
4. Habitat relationships between Port-Orford-cedar and western redcedar
Completed; 1979-82
Oregon State University and FS
Don Zobel, Department of Botany and Plant Pathology, Oregon State University, Corvallis, OR 97331
5. Community types of the Siskiyou Mountain province
Current; 1981
FS
Tom Atzet, Siskiyou National Forest, Grants Pass, OR 97526

Atzet and Wheeler 1984 (5); Carroll and Carroll 1978 (2); Franklin and others 1972; Hawk 1977 (3); Imper 1981 (3); Plocher 1977; Zobel 1979 (3), 1980 (3), 1983 (3).

Craig Mountain Lake Proposed RNA, Wallowa-Whitman National Forest, OR (FS)

1. Ecological classification of subalpine meadows
Current; 1980
FS
Charles Johnson, Wallowa-Whitman National Forest, Baker, OR 97814

Diamond Point RNA, Willapa National Wildlife Refuge, WA (FWS)

Franklin and others 1972.

Duck Lake Proposed RNA, Wallowa-Whitman National Forest, OR (FS)

1. Ecological classification of forest stands and aquatic communities
Current; 1980
FS
Charles Johnson, Wallowa-Whitman National Forest, Baker, OR 97814

East Kiger Plateau RNA, Burns District, OR (BLM)

1. Checklist of vascular plants of Steens Mountain
Current; 1972
FWS and personal (Karl Urban)
Karl Urban, Blue Mountain Community College, Pendleton, OR
97801
2. Vegetational differences between ungrazed and grazed
Festuca communities on Steens Mountain
Completed; 1984
Malheur Field Station
Lucille Housley, Executive Director, Malheur Field Station,
Box 260-E, Princeton, OR 97221

Anonymous 1985.

Eldorado Creek Proposed RNA, Wenatchee National Forest, WA
(FS)

1. Causes of avoidance and tolerance of native plants to
serpentine soils
Current; 1984
National Aeronautics and Space Administration and Univer-
sity of Washington.
Sarah Cooke, Botany Department, University of Washington,
Seattle, WA 98105
2. Evidence for ecotypic differentiation in Lupinus-
associated Rhizobium
Completed; 1979-82
Dutch Government
D.M. Pegtel, Vakgroep Plantenoecologie, Biologisch Centrum,
Rijksuniversiteit Groningen, Postbus 14, 9750 AA Haren
(Groningen), Netherlands
3. Hyperaccumulation of nickel by Arenaria rubella (Wahlenb.)
J.E. Smith (Cartophyllaceae) from Washington State
Completed; 1982
University of Washington and NSF
Art Kruckeberg, Botany Department, University of Washing-
ton, Seattle, WA 98105

4. Morphological responses (leaf morphologies) of serpentine tolerant races of edaphically indifferent species
Current; 1984
National Aeronautics and Space Administration and University of Washington
Caren Cymerman, Botany Department, University of Washington, Seattle, WA 98105

del Moral 1972, 1974, 1982; Kruckeberg 1964, 1969a; Maas and Stuntz 1969; Main 1974; pegtel 1980 (2).

Flynn Creek RNA, Siuslaw National Forest, OR (FS)

1. Alsea Basin logging and aquatic resources study^{3/}
Completed; 1958-73
Oregon State University, FS (Pacific Northwest Region), U.S. Geological Survey, U.S. Environmental Protection Agency, Georgia Pacific Corporation, Oregon Department of Fish and Wildlife, and Fred Williamson (land owner) Supervisor, Siuslaw National Forest, Corvallis, OR 91333
2. Caddisfly community of Flynn Creek
Current; 1980
Oregon State University
Robert Wisseman, Entomology Department, Oregon State University, Corvallis, OR 97331
3. Decomposition and role of wood in stream ecosystems
Current; 1978
NSF and Oregon State University
Kenneth Cummins, Appalachian Environmental laboratory, University of Maryland, Frostburg, MD 21532

^{3/}The Alsea Basin logging and Aquatic Resources Study was a cooperative research program initiated by the Oregon legislature to determine the impact of timber harvest and road construction on aquatic resources. The study was begun in 1958 and included the Alsea Basin Soil Survey and detailed research in three small experimental watersheds. The Flynn Creek watershed and subsequent RNA served as the control watershed. Cooperators in the study included Oregon State University, Pacific Northwest Region of the USDA Forest Service, U.S. Geological Survey, Environmental Protection Agency, Georgia Pacific Corporation, Oregon Department of Fish and Wildlife, and Fred Williamson, landowner.

4. Hydrology, sediment transport, channel morphology, and organic debris in Oregon coastal streams
Current; 1976
Oregon State University
Robert Beschta, Forest Engineering Department, Oregon State University, Corvallis, OR 97331

Adams and Beschta 1980 (4); Au 1972 (1); Beschta 1978 (1,4), 1980 (4), 1981a (4), 1981b (4), 1983a (4), 1983b (4); Beschta and others 1981 (4); Brown 1961 (1,4), 1969 (1, 4), 1970 (1,4), 1972 (1, 4); Brown and Krygier 1961 (1, 4), 1970 (4), 1971 (1,4); Brown and others 1973 (1,4); Campbell 1970 (1); Campbell and others 1982 (4); Chapman 1961 (1), 1962 (1), 1965 (1), 1966 (1); Chapman and Demory. 1963 (1); Chapman and others 1961 (1); Coble 1960 (1), 1961 (1); Corliss and Dyrness 1964 (1, 4), 1965 (1,4); Demory 1961 (1); Gilleran 1968 (1); Hall 1968b (1); Hall and Campbell 1968 (1); Hall and Knight 1981 (1); Hall and Krygier 1967 (1); Hall and Lantz 1969 (1); Hansmann 1969 (1); Hansmann and others 1971 (1); Hansmann and Phinney 1973 (1); Harper 1969 (1, 4); Harr and Krygier 1972 (1,4); Harr and others 1975 (1, 4); Harris 1972 (1,4), 1973 (1,4); Harris and Williams 1971 (1,4); Hsieh 1970 (1,4), 1975 (1,4); Jackson 1981 (4); Knight 1980 (1); Koski 1966 (1); Krohn 1968 (1); Lantz 1967 (1), 1970 (1); Lindsay 1975 (1); Lowry 1964 (1), 1965 (1), 1966 (1); Moring 1975a (1,4), 1975b (1); Moring and Lantz 1975 (1); O'Leary and Beschta 1981 (4); Phillips and Campbell 1962 (1); Phillips and others 1966 (1); Ringler 1970 (1); Ringler and Hall 1975 (1); Robinson and Wisseman 1983 (2); U.S. Department of the Interior, Geological Survey 1977 (1,4); Vansickle and Beschta 1983 (4); Williams 1964 (1,4); Wisseman and Anderson 1984 (2), in press (2).

Fox Hollow RNA, Eugene District, OR (BLM)

1. Ecosystem dynamics in the coniferous forest of the Willamette Valley, Oregon, USA
Completed; Unknown-1977
University of Oregon
Carl Johannessen, Geography Department, University of Oregon, Eugene, OR 97403

Cole 1977 (1); Curtis 1986b.

Goat Marsh RNA, Gifford Pinchot National Forest, WA (FS)

1. Composition, structure, and distribution of subalpine forests in the Washington Cascades
Completed; 1962-76
FS
Jerry Franklin, Forestry Sciences Laboratory, 3200 Jefferson Way, Corvallis, OR 97331

2. Flora of the Goat Marsh Research Natural Area
Completed; 1980-82
Pacific Northwest Natural Area Committee
Reid Schuller, Department of Natural Resources, Mail Stop
EX-13, Olympia, WA 98504
3. Productivity analysis of a superlative noble fir stand
Current; 1976
FS
Jerry Franklin, Forestry Sciences Laboratory, 3200
Jefferson Way, Corvallis, OR 97331
4. Relation of site index to habitat types in the Pacific
Silver Fir Zone
Current; 1961
FS
Jerry Franklin, Forestry Sciences Laboratory, 3200
Jefferson Way, Corvallis, OR 97331

Brockway and others 1983; Franklin 1966 (1), 1983 (3); Franklin and Wiberg 1979; Fujimori and others 1976 (3); Mullineaux and Crandell 1962; Ruetz 1981; Schuller and Cornelius 1982 (2).

Gold Lake Bog RNA, Willamette National Forest, OR (FS)

1. Bog communities and flora in the Cascade Range
Current; 1976-79
NPS
Jerry Franklin, Forestry Sciences Laboratory, 3200
Jefferson Way, Corvallis, OR 97331
2. Hybridization of Gold Lake Bog populations of Rana cascadae
and R. pretiosa
Completed; 1984
McMaster University
David Green, Biology Department, McMaster University,
Hamilton, Ontario, Canada L8S 4K1

Baugh 1975; Christy 1980; Christy and others 1982; Franklin and others 1972; Hemstrom and others 1982, 1985; Kezer 1978; Klopsch and others 1979; Seyer 1979 (1).

Goodlow Mountain RNA, Fremont National Forest, OR (FS)

1. Bark beetle activity investigation, 1922-40
Completed; 1922-40
FS and Bureau of Entomology and Plant Quarantine
Sarah E. Greene, Forestry Sciences Laboratory, 3200
Jefferson Way, Corvallis, OR 97331

2. Distribution and role of conifer needle endophytes (fungi on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon, Eugene, OR 97403
3. Growth and yield studies--four permanent plots
Completed; 1975-80
FS
William Hopkins, Silviculture Laboratory, Bend, OR 99701
4. Photo sampling of plant succession after fire
Current; 1979
FS
William Hopkins, Silviculture Laboratory, Bend, OR 99701

Carroll and Carroll 1978 (2); Franklin and others 1972; Hopkins 1979 (3, 4).

Government Draw Proposed RNA, Wallowa-Whitman National Forest, OR (FS)

1. Permanent photo points to follow vegetation change
Current; 1956
FS
Fred Hall, Ecologist, USDA Forest Service, PacificNorthwest Region, 319 S.W. Pine, Portland, OR 97208

Grass Mountain RNA, Salem District, OR (BLM)

1. Grass Mountain RNA monitoring program
Current; 1984
Salem District BLM Botany Project
Larry R. Scofield, District Botanist, Bureau of land Management, Salem, OR 97302

Green Mountain Proposed RNA, Mount Baker-Snoqualmie National Forest, WA (FS)

1. Plant associations and habitat types of the Mount Baker-Snoqualmie National Forest
Current; 1983
FS
Jan Henderson, Olympic National Forest, Olympia, WA 98507

Hades Creek RNA, Olympic National Park, WA (NPS)

Buckhorn and Orr 1959; Crandell 1964; Danner 1955; Franklin and others 1972; Pomeroy and Dixon 1966.

Hagan Proposed RNA, Willamette National Forest, OR (FS)

1. Aquatic habitat utilization by salmonoids
Current; 1976
Oregon State University and NSF
Jim Hall, Department of Fisheries and Wildlife, Oregon
State University, Corvallis, OR 97331
2. Aquatic primary production
Current; 1981
Oregon State University and NSF
Stan Gregory, Department of Fisheries and Wildlife, Oregon
State University, Corvallis, OR 97331
3. Channel changes and geomorphic processes
Current; 1981
FS
Fred Swanson, Forestry Sciences Laboratory, 3200 Jefferson
Way, Corvallis, OR 97331
4. Comparison of small mammal use in upland riparian habitats
Completed; 1982-84
Oregon State University and NSF
Arlene Doyle, Redwood Sciences laboratory, Arcata, CA 95521
5. Distribution of Phellinus patches by habitat type
Completed; 1978-79
FS
Don Knutson, 143 Bedford St. S.E., P.O. Box 14666,
Minneapolis, MN 55414
6. Dynamics of riparian vegetation
Current; 1982
Oregon State University, NSF, and FS
Art McKee, Forest Science Department, Oregon State
University, Corvallis, OR 97331
7. Fish population dynamics
Current; 1981
Oregon State University and NSF
Stan Gregory, Department of Fisheries and Wildlife, Oregon
State University, Corvallis, OR 97331
8. Importance of fire history on the stand structure of
Douglas-fir forests in the Pacific Northwest
Completed; 1977-85
Oregon State University
Mark Klopsch, Forest Science Department, Oregon State
University, Corvallis, OR 97331

9. Long-term successional dynamics of upland forests
Current; 1981
NSF and FS
Jerry Franklin, Forestry Sciences Laboratory, 3200
Jefferson Way, Corvallis, OR 91331
10. Microbial processes and dynamics of dissolved organic
materials in streams
Current; 1981
Oregon State University and NSF
Stan Gregory, Department of Fisheries and Wildlife, Oregon
State University, Corvallis, OR 97331
11. Microclimate of forest stands
Current; 1977
NSF and FS
Art McKee, Forest Science Department, Oregon State
University, Corvallis, OR 91331
12. Old-growth wildlife habitat relationships--research and
development: animals, birds, herpes
Completed; 1983-85
FS
Len Ruggiero, Forestry Sciences Laboratory, 3625 93rd Ave-
nue S.W., Olympia, WA 98502
13. Retention of allocthanous input
Current; 1981
Oregon State University and NSF
Stan Gregory, Fisheries Department, Oregon State Univer-
sity, Corvallis, OR 91331
14. Seasonal dynamics of aquatic invertebrates
Current; 1981
Oregon State University and NSF
Norm Anderson, Entomology Department, Oregon State Univer-
sity, Corvallis, OR 91331
15. Sediment routing in disturbed and undisturbed watersheds
Current; 1981
Oregon State University, NSF, and FS
Fred Swanson, Forestry Sciences Laboratory, 3200 Jefferson
Way, Corvallis, OR 91331

16. Upland versus riparian productivity
Current; 1981
Oregon State University and FS
Art McKee, Forest Science Department, Oregon State University, Corvallis, OR 97331

Campbell and Franklin 1979; Franklin and others 1986b, in press; Grant and others 1984; Gregory 1983; Klopsch 1985; Klopsch and others 1979; McKee and others 1978, 1981, 1982; Old-Growth Definition Task Group 1986 (12); Spies and others 1985 (12); Swanson 1981; Swanson and others 1982; Waring 1982; Waring and Franklin 1979.

Harney Lake RNA, Malheur National Wildlife Refuge, OR (FWS)

1. Factors affecting the ecology of small mammals on the Malheur National Wildlife Refuge
Completed; 1973-77
Oregon State University
George A. Feldhamer, c/o Zoology Department, Oregon State University, Corvallis, OR 97331
2. Snowy plover survey
Completed; 1980-81
FWS
Steve Herman, The Evergreen College, Olympia, WA 98505

Copeland 1979; Cornely 1980; Feldhamer 1977 (1); Herman and others 1981 (2); Malheur National Wildlife Refuge 1980; Piper and others 1939; Walker and Swanson 1968a.

Higley Creek RNA, Olympic National Park, WA (NPS)

Crandell 1964; Danner 1955; Franklin and others 1972; Kirk 1966; Sharpe 1956.

High Peak-Moon Creek RNA, Salem District, OR (BLM)

1. High Peak-Moon Creek RNA monitoring program
Current; 1984
Salem District BLM Botany Project
Larry R. Scofield, District Botanist, Bureau of Land Management, Salem, OR 97302

2. Monitoring study on Scoliopus hallii to determine biological requirements for the species and as a key indicator species to monitor riparian and wet area plant community structure
Current; 1985
Salem District BLM Botany Project
Larry R. Scofield, District Botanist, Bureau of Land Management, Salem, OR 97302

Hoover Gulch Proposed RNA, Siskiyou National Forest, OR (FS)

1. Plant community and vegetation mapping of central Siskiyou Mountains.
Completed; 1982-84
National Aeronautics and Space Administration
Robert E. Frenkel, Geography Department, Oregon State University, Corvallis, OR 97331

Frenkel and Kiilsgaard 1984 (1).

Horse Ridge RNA, Prineville District, OR (BLM)

1. Baseline studies of bird and mammal populations Completed; 1967-77
FWS
Jay Gashwiler, c/o Silviculture Laboratory, Bend, OR 99701
2. Distribution and role of conifer needle endophytes (fungi on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon, Eugene, OR 97403
3. Relation of net primary productivity, leaf area, and biomass to vegetation zones in the Pacific Northwest
Completed; 1976-79
Oregon State University
Henry Gholz, School of Forest Resources, University of Florida, Gainesville, FL 32611
4. Canopy modeling and leaf chemistry
Current; 1985
National Aeronautics and Space Administration
Nancy Swanberg, Mail Stop 242, Moffett Field, CA 94035
5. Leaf area and spectral relationships Completed; 1983-84
National Aeronautics and Space Administration
Mike Spanner and Dave Peterson, Mail Stop 242, Moffett Field, CA 94035

6. Evaluating bidirectional canopy reflectance model
Current; 1986
National Aeronautics and Space Administration
Allan Strahler, Geology and Geography Department, Hunter
College, New York, NY 10021

Carroll and Carroll 1978; Franklin and others 1972; Gashwiler
1977 (1); Gholz 1979, 1980, 1982 (3); Spanner and others 1984
(5).

Hot Lakes RNA, Spokane District, WA (BLM)

Broch 1969.

Indian Creek RNA, Wallowa-Whitman National Forest, OR (FS)

1. Ecological classification of forest stands
Current; 1985
FS
Charles Johnson, Wallowa-Whitman National Forest, Baker, OR
97814

Greene 1983.

The Island RNA, Prineville District, OR (BaLM) and Ochoco
National Forest, OR (FS)

Driscoll 1964.

Jackson Creek RNA, Olympic National Park, WA (NPS)

1. Community ecology of the Olympic Rain Forest
Completed; 1970-74
NSF
Richard Fonda, Biology Department, Western Washington
University, Bellingham, WA 98225
2. Ecology of the Roosevelt elk
Current; 1976
NPS
Ed Starkey, National Park Service, Cooperative Park
Studies Unit, College of Forestry, Oregon State Univer-
sity, Corvallis, OR 97331
3. Forest types of Olympic National Park
Current; 1978
NPS
Bradley Smith, Forest Science Department, Oregon State
University, Corvallis, OR 97331

Crandell 1964; Danner 1955; Franklin and others 1972; Henderson and others 1978; Jenkins 1979 (2), 1981 (2); Jenkins and Starkey 1980a (2), 1980b (2), 1982 (2); Kirk 1966; Leslie 1982 (2); Smith and Henderson 1986 (3).

Jordan Craters RNA, Vale District, OR (BLM)

1. Birds and mammals of sagebrush steppe in Oregon
Completed; 1979-86
BLM
Chris Maser, Bureau of land Management, 3200 Jefferson Way,
Corvallis, OR 97331
2. Core sampling of lake sediments--Upper Cow lake
Current; 1986
Washington State University
Peter J. Mehringer, Jr., Washington State University,
Pullman, WA 99163
3. Effect of beaver utilization on red willow in southeastern
Oregon
Completed; 1978-84
BLM
Robert Kindschy, Bureau of land Management, P.O. Box 100,
Vale, OR 97918
4. Geologic and minerals resources inventory of the Jordan
Craters, Jackie Butte, and Saddle Butte volcanic fields,
Malheur County, OR
Completed; 1979
BLM
John W. Harbaugh, 609 Mission Street, Suite 400, San
Francisco, CA 94105
5. Petrography of the basalts of the Cow Creek lakes area,
Malheur County, OR
Completed; 1963-65
University of Oregon
Geology Department, University of Oregon, Eugene, OR
97403

Glad 1974; Harbaugh and Lambie 1979 (4); Hart 1983; Heady and Bartolome 1977; Kindschy 1960-17, 1985; Kindschy and Maser 1978; Maser 1974-76 (1); Millhollen 1965 (5); Newcomb 1962; Otto and Hutchison 1977; Packard 1976.

Lake Twenty-Two RNA, Mount Baker-Snoqualmie National Forest, WA (FS)

1. Plant associations and habitat types of the Mount Baker-Snoqualmie National Forest
Current; 1983
FS
Jan Henderson, Olympic National Forest, Olympia, WA 98507

Franklin and others 1972; Wolcott 1961.

Lightning Creek Proposed RNA, Nez Perce National Forest, ID, administered by Wallowa-Whitman National Forest, OR (FS)

1. Ecological classification of forest stands and grasslands
Current; 1982
FS
Charles Johnson, Wallowa-Whitman National Forest, Baker, OR 97814

Lily lake Proposed RNA, Mount Baker-Snoqualmie National Forest, WA (FS)

1. Plant associations and habitat types of the Mount Baker-Snoqualmie National Forest
Current; 1980
FS
Jan Henderson, Olympic National Forest, Olympia, WA 98507

Limpy Rock RNA, Umpqua National Forest, OR (FS)

1. Preliminary analysis of soil variability within specific landscape element and vegetation habitats in selected forests of western Oregon
Completed; 1981-82
Oregon State University
D.J. Herbert Huddleston, Soils Department, Oregon State University, Corvallis, OR 97331
2. Relation of crown characteristics to remote sensing imagery characteristics
Completed; 1983
Oregon State University
Bill Ripple, Environmental Remote Sensing Applications Laboratory, Oregon State University, Corvallis, OR 97331

3. Synecology of the Monotropideae
Completed (monitoring continuing); 1982-86
Oregon State University and FS
Dan Luoma, Geography Department, Oregon State University,
Corvallis, OR 97331

Luoma 1986 (3); Myhrum 1983.

Little Blitzen RNA, Burns District, OR (BLM)

1. Checklist of vascular plants of Steens Mountain
Current; 1972
FWS and personal (Karl Urban)
Karl Urban, Blue Mountain Community College, Pendleton, OR
97801
2. Sensitive plants of Steens Mountain Current;
1972
Personal (Karl Urban)
FWS and Karl Urban, Blue Mountain Community College,
Pendleton, OR 97801

Little Cultus Lake Proposed RNA, Deschutes National Forest, OR (FS)

1. National surface water survey (for acid rain research)
Completed; 1985
FS
Rick Ross, USDA Forest Service, Pacific Northwest Region,
319 S.W. Pine, Portland, OR 97208

Little Granite Proposed RNA, Nez Perce National Forest, ID.
administered by Wallowa-Whitman National Forest, OR (FS)

1. Ecological classification of forest stands and grasslands
Current; 1983
FS
Charles Johnson, Wallowa-Whitman National Forest, Baker, OR
97814

Little Sink RNA, Salem District, OR (BLM)

1. Composition and structure of old-growth forests in the
Oregon Coast Range
Completed; 1974-78
Oregon State University and NPS
Glenn Juday, Institute of Northern Forestry, Fairbanks, AK
99701

2. Distribution and role of conifer needle endophytes (fungi on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon, Eugene, OR 97403
3. Floral and faunal studies of Willamette foothill forests and ponds
Current; 1973
Personal (Morris Johnson)
Morris Johnson, Biology Department, Western Oregon State College, Monmouth, OR 97361
4. Little Sink RNA monitoring program
Current; 1984
Salem District BLM Botany Project
Larry R. Scofield, District Botanist, Bureau of Land Management, Salem, OR 97302
5. Population genetics of Ambystoma gracile
Current; 1985
NSF
Tommy Titus, Zoology Department, University of Kansas Lawrence, KS 66044

Carroll and Carroll 1978 (2); Hawk 1974; Juday 1976 (1).

Little Wildhorse RNA, Burns District, OR (BLM)

1. Checklist of vascular plants of Steens Mountain
Current; 1972
FWS and personal (Karl Urban)
Karl Urban, Blue Mountain Community College, Pendleton, OR 97801

Long Creek RNA, Mount Baker-Snoqualmie National Forest, WA (FS)

1. Plant associations and habitat types for the Mount Baker Snoqualmie National Forest
Current; 1983
FS
Jan Henderson, Olympic National Forest, Olympia, WA 98507

Franklin and others 1972.

Long Draw RNA, Burns District, OR (BLM)

1. Floristic inventory
Current; 1986
Native Plant Society of Oregon Peter Lovejoy, #2, Portland,
Zika and Lois Kemp, 1960 N.W.
OR 97209

Lost Forest RNA, Lakeview District, OR (BLM)

1. Characteristics and causes of disjunct ponderosa pine forest
Completed; 1960-63
Oregon State University
D.W. Berry, Northern Arizona University, Flagstaff, AZ
86011
2. Distribution and role of conifer needle endophytes (fungi on needle surfaces)
Completed; 1976-78
University of Oregon
George Carroll, Biology Department, University of Oregon,
Eugene, OR 97403

Allison 1954; Antevs 1938,1955; Berry 1963 (1); Carroll and Carroll 1978 (2); Dole 1942; Hansen 1947; Howard 1946; Keen 1937; Moir and others 1973a; Morrison 1965; Waring 1908.

Maitlen Creek RNA, Colville National Forest, WA (FS)

Williams and Lillybridge 1985.

Maple Knoll RNA, William L. Finley National Wildlife Refuge, OR (FWS)

1. Bird communities in Willamette Valley forests
Completed; 1967-72
Oregon State University
Refuge Manager, Finley National Wildlife Refuge, Corvallis,
OR 97331

Anderson 1970a, 1970b; Franklin and others 1972.

Maple Mountain Proposed RNA, Okanogan National Forest, WA (FS)

1. Community types and long-term vegetation permanent sample plot of the Okanogan National Forest
Current; 1980
FS
Clint Williams, Okanogan National Forest, Okanogan, WA
98840

Williams and Lillybridge 1983 (1).

Meeks Table RNA, Wenatchee National Forest, WA (FS)

1. Botanical reconnaissance of Meeks Table
Completed; 1983-86
FS
Reid Schuller, Department of Natural Resources, Mail Stop
EX-13, Olympia, WA 98504
2. Distribution and role of conifer needle endophytes (fungi on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon,
Eugene, OR 97403
3. Energy and nutrient budgets in east-side forests
Completed; 1973
NSF, University of Washington, and FS
Charles Grier, College of Forest Resources, University of
Washington, Seattle, WA 98105
4. Community types and long-term vegetation permanent sample plots of the Wenatchee National Forest
Current; 1977
fS
Clint Williams, Okanogan National Forest, Okanogan, WA
98840
5. Plant communities and soils of Meeks Table
Completed; 1970-77
FS
Arthur R. Tiedemann, Forestry and Range Sciences Laboratory, Box 2315, la Grande, OR 97850

Carroll and Carroll 1978 (2); Franklin and others 1972; Schuller and Evans 1986 (1); Tiedemann and Klock 1977 (5).

Metollus RNA, Deschutes National Forest, OR (FS)

1. Classification of ecosystems in the Hazama pumice region
Completed; 1973-85
FS
Len Volland, USDA Forest Service, Pacific Northwest Region,
319 S.W. Pine, Portland, OR 97208
2. Distribution and role of conifer needle endophytes (fungi
on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon,
Eugene, OR 97403
3. Forest ecosystem parameters that influence remotelysensed
spectral characteristics
Current; 1982
National Aeronautics and Space Administration
Chris Kiilsgaard, Geography Department, Oregon State
University, Corvallis, OR 97331
4. Growth, yield, and mortality of old-growth ponderosa pine
Current; 1981
FS
Sarah Greene, Forestry Sciences Laboratory, 3200 Jefferson
Way, Corvallis, OR 97331
5. Quantitative study of normal snag conditions
Current; 1979
FS
Bill Hopkins, Silviculture Laboratory, Bend, OR 99701
6. Relation of net primary productivity, leaf area, and
biomass to vegetation zones in the Pacific Northwest
Completed; 1976-79
Oregon State University
Henry Gholz, School of Forest Resources, University of
Florida, Gainesville, FL 32611
7. Canopy modeling and leaf chemistry
Current; 1985
National Aeronautics and Space Administration
Nancy Swanberg, Mail Stop 242, Moffett Field, CA 94035
8. Leaf area and spectral relationships Completed;
1983-84
National Aeronautics and Space Administration
Mike Spanner and Dave Peterson, Mail Stop 242, Moffett
Field, CA 94035

9. Evaluating bidirectional canopy reflectance model
Current; 1986
National Aeronautics and Space Administration
Allan Strahler, Geology and Geography Department, Hunter
College, New York, NY 10021

Carroll and Carroll 1978 (2); Franklin and others 1972; Gholz
1979 (6), 1982 (6); Scott 1977; Spanner and others 1984 (8);
Swedberg 1961,1973; Volland 1976 (1).

Middle Santiam RNA, Willamette National Forest, OR (FS)

1. Growth, yield, and mortality of an old-growth Douglas-fir--
western hemlock community
Current; 1971
FS
Jerry Franklin, Forestry Sciences Laboratory, 3200
Jefferson Way, Corvallis, OR 97331
2. Mapping and monitoring of an active earthflow
Current; 1979
FS
Fred Swanson, Forestry Sciences Laboratory, 3200 Jefferson
Way, Corvallis, OR 97331
3. Riparian community classification
Completed; 1973-79
FS
Jerry Franklin, Forestry Sciences Laboratory, 3200
Jefferson Way, Corvallis, OR 97331
4. Vegetation classification of old-growth wildlife habitat
Current; 1983
FS
Tom Spies, Forestry Sciences Laboratory, 3200 Jefferson
Way, Corvallis, OR 97331

Campbell and Franklin 1979 (3); Fujimori and others 1976;
Greene and Franklin in press; Hicks 1982 (2); Klopsch and
others 1979; Old-Growth Definition Task Group 1986 (4); Spies
and others 1985 (4); Waring and Franklin 1979.

Mill Creek RNA, Mount Hood National Forest, OR (FS)

1. Classification of the Grand Fir and Ponderosa Pine Zones
Current; 1982
FS
Nancy Halvorsen, Mount Hood National Forest, Gresham, OR
97030

2. Distribution and role of conifer needle endophytes (fungi on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon, Eugene, OR 97403

Carroll and Carroll 1978 (2); Franklin and others 1972.

Mohawk RNA, Eugene District, OR (BLM)

1. Distribution and role of conifer needle endophytes (fungi on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George C. Carroll and F.E. Carroll, Biology Department, University of Oregon, Eugene, OR 97403

Carroll and Carroll 1978 (1); Curtis 1986c.

Myrtle Island RNA, Roseburg District, OR (BLM)

1. Flora and communities of Myrtle Island
Completed; 1970-79
Private
Ralph Thompson, Berea College, Berea, KY 40404

Franklin and others 1972; Thompson 1979 (1).

Heskowin Crest RNA, Siuslaw National Forest, OR (FS)

1. Composition and structure of old-growth forests in the Oregon Coast Range
Completed; 1974-78
Oregon State University and NPS
Glenn Juday, Institute of Northern Forestry, Fairbanks, AK 99701
2. Contribution rates and physical characteristics of large organic debris in Oregon Coast Range streams under second-growth forests
Current; 1985
Oregon State University
David Heiman, Forest Engineering Department, Oregon State University, Corvallis, OR 97331

3. Distribution and role of conifer needle endophytes (fungi on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon, Corvallis, OR 97331
 4. Ecological monitoring of long-term effects of energy development
Completed; 1980-84
DOE
W.T. Hinds, Battelle Memorial Institute, Pacific Northwest Lab, Richland, WA 99352
 5. Growth, mortality, and succession in a coastal spruce-hemlock forest
Current; 1978
FS
Sarah Greene, Forestry Sciences Laboratory, 3200 Jefferson Way, Corvallis, OR 97331
 6. Logs as sites of tree regeneration
Current; 1981-86
NPS
Mark Harmon, Forest Science Department, Oregon State University, Corvallis, OR 97331
 7. Mammals of the Oregon coast
Completed; 1970-81
University of Puget Sound and private
Chris Maser, Bureau of Land Management, 3200 Jefferson Way, Corvallis, OR 97331.
 8. Reproductive ecology of conifers in the Sitka Spruce Zone
Current; 1978
FS and University of Alberta
George LaRoi, Botany Department, University of Alberta, Edmonton, Alberta, Canada T6G 2E9
 9. Vegetation of a coastal headland prairie
Completed; 1964-67
Oregon State University
William Chilcote, retired, Department of Botany and Plant Pathology, Oregon State University, Corvallis, OR 97331
- Carroll and Carroll 1978 (3); Christy 1980; Davidson 1967 (9); Franklin and others 1986b (5); Greene 1982, 1984 (5); Harmon 1986 (6); Hemstrom and Logan 1986; Hinds 1984 (4); Juday 1976 (1); Madison 1957; Maser and others 1981 (7); McShane and others 1983 (4); Quay 1982; Ripley 1983.

North Fork Nooksack RNA, Mount Baker-Snoqualmie National Forest, WA (FS)

1. Characteristics of litter layers in northwestern forests
Completed; 1960-65
University of Washington
Stanley P. Gessel, College of Forest Resources, University of Washington, Seattle, WA 98105
2. Flora, community types, and soils of North Fork Nooksack RNA
Completed; 1978-81
FS
Western Washington University
Richard Fonda, Biology Department, Western Washington University, Bellingham, WA 98225
3. Relationship between snowmelt and vegetation pattern
Current; 1984
Western Washington University
Ray Evans, Botany Department, Western Washington University, Bellingham, WA 98225
4. Physiological response of red heather (Phyllodoce empetriformis) to drought
Current; 1986
Western Washington University
Elizabeth Binney, Botany Department, Western Washington University, Bellingham, WA 98225
5. Plant associations and habitat types of the Mount Baker-Snoqualmie National Forest
Current; 1984
FS
Jan Henderson, Olympic National Forest, Olympia, WA 98507

Evans 1986 (3); Fonda 1981 (2); Franklin and others 1972; Gessel and Balci 1965 (1); Misch 1952; Thomas and others 1981.

North Myrtle Creek RNA, Roseburg District, OR (BLM)

1. Ecological site classification of southwestern Oregon
Current; 1981
FS
Bradley Smith, Forest Science Department, Oregon State University, Corvallis, OR 97331

Ochoco Divide RNA, Ochoco National Forest, OR (FS)

1. Classification of the forests of the Blue Mountain region
Completed; 1956
FS
Fred Hall, USDA Forest Service, Pacific Northwest Region,
319 S.W. Pine, Portland, OR 97208
2. Distribution and role of conifer needle endophytes (fungi
on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon,
Eugene, OR 97403
3. Ecological monitoring of long-term effects of energy
development
Completed; 1980-82
DOE
W.T. Hinds, Battelle Memorial Institute, Pacific Northwest
Laboratory, Richland, WA 99352
4. Long-term photo analysis of vegetation change
Current; 1956
FS
Fred Hall, USDA Forest Service, Pacific Northwest Region,
319 S.W. Pine, Portland, OR 97208
5. Reintroduction of natural fire cycle
Current; 1984
FS
Sarah Greene and Bill Hopkins, Silviculture Laboratory,
Bend, OR 97701

Carroll and Carroll 1978 (2); Franklin and others 1972; Hall
1967, 1971 (1), 1973, 1978, 1979a (1, 5), 1979b, 1980a, 1980b;
Hinds 1984 (3).

Olallie Ridge RNA, Willamette National Forest, OR (FS)

1. Disjunct flora of the western Cascade peaks
Completed; 1963-68
University of Oregon
James Hickman, Botany Department, University of
California-Berkeley, Berkeley, CA 94720

2. Distribution and role of conifer needle endophytes (fungi on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon, Eugene, OR 97403
3. Habitat type classification for western Cascade forests
Current; 1961-76
FS
Jerry Franklin, Forestry Sciences laboratory, 3200 Jefferson Way, Corvallis, OR 97331

Carroll and Carroll 1978 (2); Franklin and Mitchell 1967; Franklin and others 1972; Hemstrom and others 1982 (3), 1985 (3); Hickman 1968 (1), 1976 (1); Klopsch and others 1979.

Pataha Bunchgrass RNA, Umatilla National Forest, WA (FS)

1. Classification of the forests of the Blue Mountain region
Current; 1956
FS
Fred Hall, USDA Forest Service, Pacific Northwest Region, 319 S.W. Pine, Portland, OR 97208
2. Long-term photo analysis of vegetative change
Current; 1956
FS
Fred Hall, USDA Forest Service, Pacific Northwest Region 319 S.W. Pine, Portland, OR 97208

Franklin and others 1972; Hall 1968a (1), 1970 (1), 1973 (1), 1980a (1).

Perry Creek Proposed RNA, Mount Baker-Snoqualmie National Forest, WA (FS)

1. Plant associations and habitat types of the Mount Baker-Snoqualmie National Forest
Current; 1982
FS
Jan Henderson, Olympic National Forest, Olympia, WA 98507

Pigeon Butte RNA, William L. Finley National Wildlife Refuge,
OR (FWS)

1. Bird communities in Willamette Valley forests
Completed; 1961-72
Oregon State University
Refuge Manager, Finley National Wildlife Refuge, Corvallis,
OR 91331
2. Forest productivity along environmental gradients
Completed; 1972-73
Japanese Forest Experiment Station
Takao Fujimori, c/o Jerry Franklin, Forestry Sciences
Laboratory, 3200 Jefferson Way, Corvallis, OR 97331
3. Effects of environment on decomposition and nutrient-
cycling processes
Completed; 1974-76
NSF
Oregon State University
Kermit Cromack, Forest Science Department, Oregon State
University, Corvallis, OR 97331

Anderson 1970a (1), 1970b (1), 1972 (1); Bickford 1979;
Franklin and others 1972; Thilenius 1964, 1968.

Pine Creek RNA, Turnbull National Wildlife Refuge, WA (FWS)

1. Ecology of snail, Lymnaea stagnalis
Current; 1967
Eastern Washington University
Bruce Lang, Biology Department, Eastern Washington Univer-
sity, Cheney, WA 99004
2. Epiphytic lichens on ponderosa pine
Completed; 1972-75
Eastern Washington University
Horace Sims, Biology Department, Eastern Washington Univer-
sity, Cheney, WA 99004
3. Flora of Turnbull National Wildlife Refuge
Current; 1975
Eastern Washington University
Ken Swedberg, Biology Department, Eastern Washington Uni-
versity, Cheney, WA 99004

4. Myxomycetes on ponderosa pine logs
Completed; 1969-70
Eastern Washington University
Robert Carr, Turnbull Laboratory for Ecological Studies,
Eastern Washington University, Cheney, WA 99004

Bretz 1959; Donaldson and Giese 1968; Franklin and others 1972;
Lang 1971 (1); Stevens 1975 (2); Zabel 1970 (4).

Pleasant Valley Proposed RNA, Wallowa-Whitman National Forest,
OR (FS).

1. Ecological classification of grasslands and forest stands
Current; 1980
FS
Charles Johnson, Wallowa-Whitman National Forest, Baker, OR
97814
2. Study of vegetation and grazing with three-way exclosures
Current; 1964
FS
Charles Johnson, Wallowa-Whitman National Forest, Baker, OR
97814

Poker Jim Ridge RNA, Hart Mountain National Wildlife Refuge,
OR (FWS)

Greene and Copeland 1984; Larson 1965; Walker and Swanson 1968b.

Port-Orford-Cedar RNA, Siskiyou National Forest, OR (FS)

1. Behavior of Phytophthora root rot
Current; 1950
Oregon State University
Lewis Roth and Everett Hansen, Department of Botany and
Plant Pathology, Oregon State University, Corvallis, OR
97331
2. Distribution and role of conifer needle endophytes (fungi
on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon,
Eugene, OR 97403
3. Ecology of Port-Orford-cedar
Current; 1974
NSF
Oregon State University
Don Zobel, Department of Botany and Plant Pathology, Oregon
State University, Corvallis, OR 97331

4. Habitat relationships between Port-Orford-cedar and western redcedar
Current; 1979-82
Oregon State University and FS
Don Zobel, Department of Botany and Plant Pathology, Oregon State University, Corvallis, OR 97331
5. Community types of the Siskiyou Mountains Province
Current; 1981
FS
Tom Atzet, Siskiyou National Forest, Grants Pass, OR 91526

Atzet and Wheeler 1984 (5); Carroll and Carroll 1978 (2); Franklin and others 1972; Hawk 1977 (3, 4); Imper 1981 (3,4); Lawson 1983; Zobel 1980 (3,4).

Pringle Falls RNA, Deschutes National Forest, OR (FS)

1. Age structure and spatial pattern of old-growth ponderosa pine
Completed; 1981-85
FS
Joseph Means, Forestry Sciences Laboratory, 3200 Jefferson Way, Corvallis, OR 97331
2. Baseline studies of bird and mammal populations
Completed; 1967-77
FWS
Jay Gashwiler, c/o Silviculture Laboratory, Bend, OR 99101
3. Classification of ecosystems in the Mazama pumice region
Completed; 1971-85
FS
Len Volland, USDA Forest Service, Pacific Northwest Region, 319 S.W. Pine, Portland, OR 91208
4. Distribution and role of conifer needle endophytes (fungi on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon, Eugene, OR 97403
5. Effects of environment on decomposition and nutrient cycling processes Completed; 1974-76
NSF and Oregon State University
Kermit Cromack, Forest Science Department, Oregon State University, Corvallis, OR 97331

6. Growth of ponderosa and lodgepole pine forests
Completed; 1960-70
FS
Jim Barrett, 61555 Ward Road, Bend, OR 99701
7. Seed production by ponderosa and lodgepole pines
Completed; 1953-75
FS
Walt Dahm and Jim Barrett, 61555 Ward Road, Bend, OR 99701
8. Reintroduction of "natural" fire
Current; 1985
FS
Ken Seidel, Silviculture Laboratory, 1027 N.W. Trenton Avenue, Bend, OR 97701

Bork 1985 (8); Carroll and Carroll 1978 (4); Dahms and Barrett 1975 (7); Franklin and others 1972; Gashwiler 1977 (2); Morrow 1985 (1); Mowat 1954; Tarrant 1947; U.S. Department of Agriculture, Forest Service 1938; Volland 1976 (3).

Pyramid Lake RNA, North Cascades National Park, WA (NPS)

1. Collections of Hepaticae, genus Porella
Completed; 1981
College of Great Falls, MT
Won Shic Hong, College of Great Falls, Great Falls, MT 59405
2. Monitoring water quality, chemistry, and aquatic life of Pyramid Lake RNA
Current; 1971
NPS
Robert Wasem, North Cascades National Park, Sedro Woolley, WA 98284

Zobel and Wasem 1979.

Quinault RNA, Olympic National Forest, WA (FS)

1. Ecological monitoring of long-term effects of energy development
Completed; 1980-84
DOE
W.T. Hinds, Battelle Memorial Institute, Pacific Northwest laboratory, Richland, WA 99352

2. Effects of acid rain on nitrogen fixation in western Washington coniferous forests
Completed; 1974
NSF
Oscar Soule, The Evergreen College, Olympia, WA 98505
3. Growth and yield of Sitka spruce-western hemlock stands
Current; 1982
FS
Sarah Greene, Forestry Sciences Laboratory, 3200 Jefferson Way, Corvallis, OR 91331
4. Logs as sites of tree regeneration
Completed; 1981-86
NPS
Mark Harmon, Forest Science Department, Oregon State University, Corvallis, OR 97331
5. Plant associations and habitat types of the Olympic National Forest
Current; 1980
FS
Jan Henderson, Olympic National Forest, Olympia, WA 98507

Crandell 1964; Danner 1955; Denison 1977 (2); Denison and others 1976 (2); Franklin and others 1972; Henderson and Peter 1981 (5); Hinds 1984 (1); Hinds and others 1981 (1); McShane and others 1983 (1); Shelford 1963; Skalski and others 1981 (1); Thomas and others 1981 (1).

Rainbow Creek RNA, Umatilla National Forest, WA (FS)

1. Classification of the forests of the Blue Mountain region
Current; 1956
FS
Fred Hall, USDA Forest Service, Pacific Northwest Region, 319 S.W. Pine, Portland, OR 97208
2. Tree and stand growth after defoliation by Douglas-fir tussock moth
Current; 1973 FS
Boyd Wickman, Forestry and Range Sciences Laboratory, La Grande, OR 97850

Franklin and others 1972; Hall 1973 (1), 1978 (1), 1979b (1), 1980b; Wickman 1978 (2); Wickman and others 1980 (2).

Rattlesnake Hills RNA, Arid Lands Ecology (ALE) Reserve, WA (DOE)

1. Arid land ecology^{4/}
Current; 1965
DOE
L.E. Rogers, Battelle, Pacific Northwest Laboratory, P.O.
Box 999, Richland, WA 99352
1. National Environmental Research Park^{5/}
Current; 1977
DOE
W.H. Rickard, Battelle, Pacific Northwest Laboratory, P.O.
Box 999, Richland, WA 99352
3. University-supported ecological studies^{6/}
Current; 1980
NSF and Washington State University
R.N. Mack, A.A. Black, Jeff Johansen, William Rayburn,
Washington State University, Pullman, WA 99164-2930

^{4/}Studies include primary and secondary productivity, mineral cycling, and water balance. Funding is provided by the U.S. Department of Energy, Office of Health and Environmental Research, Ecological Research Division, Washington, DC.

^{5/}Studies in this category are provided logistic support by the U.S. Department of Energy, Office of Health and Environmental Research, Ecological Research Division, Washington, DC, for student research leading to graduate degrees. Stipends are provided through the TriCities University Center, c/o Dr. Bryan Valett, Director, Northwest Organization of Colleges and Universities for Science, 100 Sprout Road, Richland, WA 99352. Ongoing student research includes radiotelemetry studies of free-roaming elk and coyotes and ecological studies of two lupine populations.

^{6/}Ongoing studies in this category include ecological genetics of cheatgrass, response of soil algae to wildfire, and response of shrub-steppe plants to Mount St. Helens ash fall. Funding is provided for ongoing studies by the National Science Foundation and Washington State University.

Allen 1980 (2); Cline and others 1977a (1), 1977b (1); Cline and Rickard 1973 (1), 1974 (1); Fitzner 1978a (2), 1978b (2); Fitzner and others 1978 (1); Franklin and others 1972 (3); Gano and Rickard 1982 (3); Hajek 1966 (1); Hajek and Wildung 1969 (1); Hakonson and Rickard 1969 (1); Harr and Price 1972 (1); Hedlund and Rickard 1981 (1); Hinds 1973 (1), 1974 (1), 1975 (1), 1979 (1); Hinds and others 1979 (1); Hinds and Rickard 1968 (1), 1973 (1); Hinds and Rotenberry 1979 (1); Hinds and Thorp 1969 (1); Johnson 1974 (2); Kritzman 1970 (3); Langham 1970 (2); Mack 1971 (2); Mack and Pyke 1984 (3); McCorquodale 1985 (1); McCullough 1975 (2); O'Farrell 1972 (1), 1975a (1), 1975b (1), 1975c (1); O'Farrell and Dilley 1974 (1); O'Farrell and others 1972 (1), 1973 (1), 1974 (1), 1975 (1); Price 1965 (2), 1966 (2); Rickard 1964 (1), 1965a (1), 1965b (1), 1965c (1), 1965d (1), 1967a (1), 1961b (1), 1968 (1), 1970a (1), 1970b (1), 1971 (1), 1981 (1), 1982 (1), 1985a (1), 1985b (1), 1985c (1); Rickard and Cline 1965 (1); Rickard and Cushing 1982; Rickard and Garland 1983 (1); Rickard and Haverfield 1965 (1); Rickard and Keough 1968 (1); Rickard and McShane 1984 (1); Rickard and others 1971 (1), 1973a (1), 1973b (1), 1974 (1), 1975 (1), 1976 (1), 1977 (1), 1978 (1), 1982 (1); Rickard and Price 1984 (1); Rickard and Rogers 1983 (1); Rickard and Sauer 1982a (1), 1982b (1); Rickard and Van Scoyoc 1984 (1); Rickard and Warren 1981 (1); Rogers and others 1976 (1); Rogers and Rickard 1975 (1); Rogers and Uresk 1974 (1); Rogers and Woodley 1978 (1); Rotenberry 1980 (2); Rotenberry and others 1975 (1), 1979 (1); Routson and others 1977 (1); Rupp 1969 (2); Sauer and Uresk 1976 (1); Schreiber 1973 (2); Springer 1979 (2), 1982 (2); Steigers and Flinders 1980 (2); Stoel 1976 (2); Uresk 1976 (1); Uresk and Cline 1976 (1); Uresk and others 1976a (1), 1976b (1); Uresk and Rickard 1975 (1); Wildung 1977 (1); Wildung and others 1968 (1), 1971 (1), 1975 (1).

Rooster Comb RNA, Burns District, OR (BLM)

1. Checklist of vascular plants of Steens Mountain
 Current; 1972
 FWS and personal (Karl Urban)
 Karl Urban, Blue Mountain Community College, Pendleton, OR
 91801

Saddleback Mountain RNA, Salem District, OR (BLM)

1. Monitoring study on Scoliopus hallii to determine biological requirements for the species and, because it is a key indicator species, to monitor riparian and wet area plant community structure
Current; 1985
Salem District BLM Botany Project
Larry R. Scofield, District Botanist, Bureau of Land Management, Salem, OR 97302
2. Saddleback Mountain RNA monitoring program
Current; 1985
Salem District BLM Botany Project
Larry R. Scofield, District Botanist, Bureau of Land Management, Salem, OR 97302
3. Composition and structure of old-growth forests in the Oregon Coast Range
Completed; 1974-78
Oregon State University and NPS
Glenn Juday, Institute of Northern Forestry, Fairbanks, AK 99100

Juday 1976 (3); Macnab 1958.

Salmo RNA, Colville National Forest, WA (FS)

1. Community types and long-term vegetation permanent sample plots of the Colville National Forest
Current; 1980
FS
Clint Williams, Okanogan National Forest, Okanogan, WA 98840

Wellner [1986]; Williams and Lillybridge 1985 (1).

Silver Lake RNA, North Cascades National Park, WA (NPS)

1. Botanical reconnaissance of Silver Lake
Completed; 1979-84
NPS
Robert Wasem, North Cascades National Park, Sedro Woolley, WA 98284
2. Monitoring of Silver Lake for acidification
Current; 1979
NPS, Environmental Protection Agency, and State agencies
Robert Wasem, North Cascades National Park, Sedro Woolley, WA 98284

3. Monitoring at Silver Lake, including water quality, bathymetric map, bird and mammal survey
Current; 1979
NPS
Robert Wasem, North Cascades National Park, Sedro Woolley, WA 98284

Greene and others 1984 (1); Leshner 1984 (1); Post and others 1971; Shideler 1965.

Sister Rocks RNA, Gifford Pinchot National Forest, WA (FS)

1. Classification of the Silver Fir Zone
Completed; 1979-82
FS
Nancy Halvorsen, Mount Hood National Forest, Gresham, OR 97030
2. Composition, structure, and distribution of subalpine forests in the Washington Cascades
Completed; 1962-76
FS
Jerry Franklin, Forestry Sciences Laboratory, 3200 Jefferson Way, Corvallis, OR 97331
3. Cone production of upper-slope tree species
Current; 1961
FS
Jerry Franklin, Forestry Sciences Laboratory, Jefferson Way, 3200 Corvallis, OR 97331
4. Distribution and role of conifer needle endophytes (fungi on needle surfaces)
Completed; 1976-18
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon, Eugene, OR 97403

Brockway and others 1983 (1); Carroll and Carroll 1978 (4); Cornelius 1982; Franklin 1966 (2); Franklin and others 1972.

South Fork Willow Creek RNA, Burns District, OR (BLM)

1. Sensitive plants of Steens Mountain
Current; 1972
Personal (Karl Urban) and FWS
Karl Urban, Blue Mountain Community College, Pendleton, OR 97801

Steamboat Mountain RNA, Gifford Pinchot National Forest, WA (FS)

1. Classification of the Silver Fir Zone
Completed; 1979-82
FS
Nancy Halvorsen, Mount Hood National Forest, Gresham, OR 97030
2. Composition, structure, and distribution of subalpine forests in the Washington Cascades
Completed; 1962-76
FS
Jerry Franklin, Forestry Sciences Laboratory, 3200 Jefferson Way, Corvallis, OR 97331
3. Cone and seed production by upper-slope tree species (subalpine fir and mountain hemlock)
Current; 1961
FS
Jerry Franklin, Forestry Sciences Laboratory, 3200 Jefferson Way, Corvallis, OR 97331
4. Flora of Steamboat Mountain RNA
Completed; 1980-81
Pacific Northwest Natural Area Committee
Reid Schuller, Department of Natural Resources, Mail Stop EX-13, Olympia, WA 98504
5. Growth, mortality, and succession in subalpine forests
Current; 1975
FS
Jerry Franklin, Forestry Sciences Laboratory, 3200 Jefferson Way, Corvallis, OR 97331

Bridge 1973; Brockway and others 1983 (1); Franklin 1966 (2), 1968 (3); Franklin and Mitchell 1967 (2); Franklin and others 1974 (3); Greene and Frenkel 1986; Schuller and Frenkel 1981 (4); Schuster and others 1978; Wise 1970.

Stetattle Creek RNA, North Cascades National Park, WA (NPS)

1. Fish surveys of lower Stetattle Creek
Completed; 1974-76
NPS
Robert Wasem, North Cascades National Park, Sedro Woolley, WA 98284

2. Limnological monitoring at Azure Lake
Current; 1980
NPS
Robert Wasem, North Cascades National Park, Sedro Woolley,
WA 98284
3. Monitoring water quality at Stetattle Creek
Current; 1978
NPS
Robert Wasem, North Cascades National Park, Sedro Woolley,
WA 98284
4. Vegetation mapping by use of remote sensing
Completed; 1980
NPS
Gary Waggoner, Remote Sensing Section, National Park
Service, Denver Service Center, Lakewood, CO 80225
5. Vegetation surveys of Stetattle Creek RNA
Completed; 1979-80
Western Washington University
Ron Taylor, Biology Department, Western Washington Univer-
sity, Bellingham, WA 98225

Agee and Wasem [1987] (2, 3, 4); Douglas 1970; Douglas and
Ballard 1971; Douglas and Bliss 1971; Waggoner 1980 (4);
Wagstaff and Taylor 1980 (5).

Stinking Lake RNA, Malheur National Wildlife Refuge, OR (FWS)

1. Factors affecting the ecology of small mammals on the
Malheur National Wildlife Refuge
Completed; 1973-77
Oregon State University
George A. Feldhamer, c/o Zoology Department, Oregon State
University, Corvallis, OR 97331
2. Snowy plover survey
Completed; 1980-81
FWS
Steve Herman, The Evergreen College, Olympia, WA 98505

Copeland and Greene 1982; Cornely 1980; Feldhamer 1971 (1);
Herman and others 1981 (2); Oregon State Water Resources Board
1969; U.S. Department of the Interior, Fish and Wildlife
Service 1981.

Thompson Clover RNA, Wenatchee National Forest, WA (FS)

1. Botanical reconnaissance and monitoring
Current; 1982
Personal (Reid Schuller)
Reid Schuller, Department of Natural Resources, Mail Stop
EX-13, Olympia, WA 98504
2. Ecological life history of Trifolium thompsonii
Completed; 1975-77
University of Washington
Joan Canfield, c/o A. Kruckeberg, Botany Department, Uni-
versity of Washington, Seattle, WA 98105
3. Community types and long-term vegetation permanent sample
plots of the Wenatchee National Forest
Current; 1979
FS
Clint Williams, Okanogan National Forest, Okanogan, WA
98840

Canfield 1977 (2); Hitchcock and others 1961; Tiedemann and
others 1977.

Thornton T. Munger RNA, Gifford Pinchot National Forest, WA
(FS)

1. Classification of Western Hemlock Zone
Current; 1982-86
FS
Nancy Halvorsen, Mount Hood National Forest, Gresham, OR
97030
2. Composition, structure, and distribution of subalpine
forests in the Washington Cascades
Completed; 1962-76
FS
Jerry Franklin, Forestry Sciences laboratory, 3200
Jefferson Way, Corvallis, OR 97331
3. Distribution and role of conifer needle endophytes (fungi
on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon,
Eugene, OR 97403

4. Dynamics of coarse woody debris in Douglas-fir forests
Completed; 1978-82
NSF and Oregon State University
Phil Sollins, Forest Science Department, Oregon State
University, Corvallis, OR 97331
5. Ecological monitoring of long-term effects of energy
development
Completed; 1980-84
DOE
W.T. Hinds, Battelle Memorial Institute, Pacific Northwest
Laboratory, Richland, WA 99352
6. Growth, mortality, and succession in an old-growth Douglas
fir-forest
Current; 1947
FS
Dean DeBell, Forestry Sciences Laboratory, Olympia, WA
98502
7. Mammal and bird monitoring in old -growth wildlife habitats
Current; 1983
FS
S.D. West, University of Washington, Seattle, WA 98105
8. Seed survival of Douglas-fir in forest floor
Completed; 1924-43
FS
Dean DeBell, Forestry Sciences Laboratory, Olympia, WA
98502.
9. Vegetation classification of old-growth wildlife habitat
Current; 1983
FS
Tom Spies, Forestry Sciences laboratory, 3200 Jefferson
Way, Corvallis, OR 97331
10. Flora of the Thornton T. Munger RNA
Completed; 1980-82
Pacific Northwest Natural Area Committee
Reid Schuller, Department of Natural Resources, Mail Stop
EX-13, Olympia, WA 98504

Carroll and Carroll 1978 (3); DeBell and Franklin 1986 (6); Franklin 1966 (2); Franklin and DeBell 1986 (6); Franklin and Hemstrom 1981; Franklin and others 1972, 1986b (6); Hinds 1984 (5); Hinds and others 1981; Isaac 1940,1943; Kemp and Schuller 1982 (10); King 1961 (6); MacSiurtain 1979; McShane and others 1983 (5); Old-Growth Definition Task Group 1986 (9); Skalski and others 1981 (5); Sollins 1982 (4); Spies and others 1985 (9); Steele 1952; Steele and Worthington 1955 (6); Thomas and others 1981 (5); Topik and others 1985 (1); Waring and Franklin 1979.

Tiffany Mountain Proposed RNA, Okanogan National Forest, WA (FS)

1. Environmental impacts of wildland recreation
Current; 1984
Personal (Paul Saunders)
Paul Saunders, Washington State University, Pullman, WA
99164-6410
2. Community types and long-term vegetation permanent sample plots of the Okanogan National Forest
Current; 1976
FS
Clint Williams, Okanogan National Forest, Okanogan, WA
98840

Williams and Lillybridge 1983 (2).

Torrey-Charlton Proposed RNA, Willamette and Deschutes National Forests, OR (FS)

1. Growth and yield of mountain hemlock stands
Current; 1976
FS
Joseph Means, Forestry Sciences Laboratory, 3200 Jefferson Way, Corvallis, OR 97331
2. Stress-induced wave mortality in subalpine forest ecosystems
Current; 1981
NSF and Oregon State University
Richard Waring, Forest Science Department, Oregon State University, Corvallis, OR 97331

3. Vegetation of Torrey Lake mire
Completed; 1976-86
FS and Oregon State University
Robert Frenkel, Geography Department, Oregon State University, Corvallis, OR 97331

Boone 1982 (2); Boone and others 1986 (2); Cromack 1985;
Frenkel and others 1986 (3); Matson 1983; Matson and Boone
1984 (2); Matson and Waring 1984 (2); Waring and others
1986 (2).

Tumtum Lake RNA, Burns District, OR (BLM)

1. Snowy plover study
Completed; 1980-81
FWS
Steve Herman, The Evergreen College, Olympia, WA 98505

Herman and others 1981 (1).

Turnbull Pine RNA, Turnbull National Wildlife Refuge, WA (FWS)

1. Abundance, cover frequency, and biomass data; some mapping of the trees and larger communities (student project)
Completed; 1976
Turnbull Laboratory for Ecological Studies
Robert Carr, Director, Turnbull Laboratory for Ecological Studies, Eastern Washington University, Cheney, WA 99004
2. Analysis of the stomach contents of wandering garter snakes (Thamnophis elegans vagrans) from eastern Washington
Completed; 1978-82
Theodore Roosevelt Memorial Fund and the Gaige Fund
Charles R. Peterson, Department of Anatomy, University of Chicago, Chicago, IL 60637
3. Aquatic insects of the Turnbull National Wildlife Refuge
Current; 1968
Eastern Washington University
Raymond Soltero, Biology Department, Eastern Washington University, Cheney, WA 99004
4. Baseline limnological data for Middle Findley Lake, Turnbull National Wildlife Refuge
Completed; 1985
Turnbull Laboratory for Ecological Studies
Don Nichols, Biology Department, Eastern Washington University, Cheney, WA 99004

5. Body temperature variation in free-ranging garter snakes (Thamnophis elegans vagrans and Thamnophis sirtalis fitchi)
Completed; 1978-82
Washington State University
Raymond Soltero, Biology Department, Eastern Washington University, Cheney, WA 99004
6. Cercaria study of the snails of the Findley Lakes
Completed; 1976-77
Eastern Washington University
Bruce Z. Lang, Eastern Washington University, Cheney, WA 99004
7. Chemical, physical, and biological characteristics of Upper Findley Lake (student project)
Completed; 1976
Eastern Washington University
Robert Carr, Turnbull Laboratory for Ecological Studies, Eastern Washington University, Cheney, WA 99004
8. Effects of season and host size on infection rates of Digenea in the snail Lymnaea stagnalis
Completed; 1969-71
Eastern Washington University
Robert Carr, Turnbull laboratory for Ecological Studies, Eastern Washington University, Cheney, WA 99004
9. Endoparasite faunal dynamics on black bullheads (Ictalurus melas)
Completed; 1972-74
Eastern Washington University
Robert Carr, Turnbull laboratory for Ecological Studies, Eastern Washington University, Cheney, WA 99004
10. Flora of the Turnbull Pine RNA
Current; 1975
Eastern Washington University
Robert Carr, Chairman, Biology Department, Eastern Washington University, Cheney, WA 99004
11. Food partitioning by terrestrial organisms (student project)
Completed; 1976
Eastern Washington University
Robert Carr, Turnbull Laboratory for Ecological Studies, Eastern Washington University, Cheney, WA 99004

12. Free swimming invertebrate communities of vernal pools in eastern Washington
Completed; 1982-84
University of Idaho and Turnbull Laboratory for Ecological Studies
Fred Rabe, Department of Biological Sciences, University of Idaho, Moscow, ID 83843
13. Interrelationships of grazing, rodent densities, and predation of artificial avian nests
Completed; 1972-74
Eastern Washington University
Raymond Soltero, Biology Department, Eastern Washington University, Cheney, WA 99004
14. Lake metabolism: light and dark bottle study of upper Findley Lake (student project)
Completed; 1976
Eastern Washington University
Robert Carr, Turnbull laboratory for Ecological Studies, Eastern Washington University, Cheney, WA 99004
15. Life history of a Cephalogonimus (Trematoda from Ambystoma tigrinum)
Completed; 1969-12
Eastern Washington University
Raymond Soltero, Biology Department, Eastern Washington University, Cheney, WA 99004
16. Myxomycetes on ponderosa pine logs
Completed; 1969-70
Eastern Washington University
Robert Carr, Turnbull Laboratory for Ecological Studies, Eastern Washington University, Cheney, WA 99004
11. Observations of the aquatic invertebrates on a small pond in spring, 1976, after a drought year (student project)
Completed; 1976
Eastern Washington University
Robert Carr, Turnbull Laboratory for Ecological Studies, Eastern Washington University, Cheney, WA 99004
18. Predatory food habits of Formica obscuripes on Turnbull Pine RNA
Completed; 1976-78
Eastern Washington University
Robert Carr, Turnbull laboratory for Ecological Studies, Eastern Washington University, Cheney, WA 99004

19. Relationship between the density levels of the beetle Chrysolina gemellata and its food plant Hypericum perforatum along upper Findley Lake (student project)
Completed; 1976
Eastern Washington University
Robert Carr, Turnbull Laboratory for Ecological Studies,
Eastern Washington University, Cheney, WA 99004
20. Upper Findley Lake Coleoptera study (student project)
Completed; 1976
Eastern Washington University
Robert Carr, Director, Turnbull laboratory for Ecological
Studies, Eastern Washington University, Cheney, WA 99004
21. Vegetational analysis of the Turnbull Pine RNA (student
project)
Completed; 1976
Eastern Washington University
Robert Carr, Director, Turnbull Laboratory for Ecological
Studies, Eastern Washington University, Cheney, WA 99004
22. Vegetation comparison on grazed and protected sites
Completed; 1970-72
Eastern Washington University
Raymond Soltero, Biology Department, Eastern Washington
University, Cheney, WA 99004

Bennington 1972 (22); Bretz 1959; Clevenger 1983; Current 1974 (9); Donaldson and Giese 1968; Dronen 1970 (15); Dronen and Lang 1974 (15); Franklin and others 1972; Kulp and Rabe 1984 (12); Lang and Dronen 1970; Lessor 1978 (18); Morig 1972 (8); Nichols 1985 (4); Peterson 1982 (2, 5), in press (2, 5); Zabel 1970 (16).

Twin Creek RNA, Olympic National Park, WA (NPS)

1. Community ecology of the Olympic Rain Forest
Completed; 1970-74
NSF.
Richard Fonda, Biology Department, Washington State
University, Bellingham, WA 99163
2. Ecology of the Roosevelt elk
Current; 1976
NPS
Ed Starkey, National Park Service, Cooperative Park Studies
Unit, College of Forestry, Oregon State University,
Corvallis, OR 97331

3. Precipitation chemistry and ecosystem function in Olympic National Park: baseline research for acid precipitation studies
Current; 1984
NPS
Charles Grier, College of Forest Resources, University of Washington, Seattle, WA 98105
4. Use of six ecosystem parameters to detect low levels of airborne pollutants
Current; 1984
DOE
Mark Harmon, Forest Science Department, Oregon State University, and Sarah Greene, Forestry Sciences Laboratory, 3200 Jefferson Way, Corvallis, OR 97331
5. Forest types of Olympic National Park
Current; 1978
NPS
Bradley Smith, Forest Science Department, Oregon State University, Corvallis, OR 97331

Baker and others 1984 (4); Crandell 1964; Danner 1955; Fonda 1974 (1); Franklin and others 1972; Henderson and others 1978 (5); Jenkins 1979 (2), 1981 (2); Jenkins and Starkey 1980a (2), 1980b (2), 1982 (2); Leslie 1982 (2); Smith and Henderson 1986 (5); Wiersma and others 1985 (4).

Upper Elk Meadows RNA, Eugene District, OR (BLM)

Curtis 1986d.

Vance Knoll Proposed RNA, Wallowa-Whitman National Forest, OR (FS)

1. Ecological classification of grasslands
Current; 1978
FS
Charles Johnson, Wallowa-Whitman National Forest, Baker, OR 97814

West Razz Lake Proposed RNA, Wallowa-Whitman National Forest, OR (FS)

1. Ecological classification of subalpine mountain meadows
Current; 1980
FS
Charles Johnson, Wallowa-Whitman National Forest, Baker, OR 97814

Wet Weather Creek Proposed RNA, Olympic National Forest, WA (FS)

1. Plant associations and habitat types of the Olympic National Forest
Current; 1982
FS
Jan Henderson, Olympic National Forest, Box 2288, Olympia, WA 98507

Wheeler Creek RNA, Siskiyou National Forest, OR (FS)

1. Distribution and role of conifer needle endophytes (fungi on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon, Eugene, OR 97403
2. Mammals of the Oregon coast
Completed; 1970-81
University of Puget Sound and private
Chris Maser, Bureau of Land Management, 3200 Jefferson Way, Corvallis, OR 97331

Carroll and Carroll 1978 (1); Dott 1971; Dyrness and others 1973; Frankl in and others 1972; Maser and others 1981 (2); Parker 1973.

Wildcat Mountain RNA, Willamette National Forest, OR (FS)

1. Carbon and nutrient budgets in forests of the Pacific Northwest
Current; 1973
NSF and Oregon State University
Charles Grier, College of Forest Resources, University of Washington, Seattle, WA 98105
2. Cone and seed production by upper-slope conifers (noble fir, Pacific silver fir, and mountain hemlock)
Current; 1961
FS
Jerry Franklin, Forestry Sciences Laboratory, 3200 Jefferson Way, Corvallis, OR 97331
3. Disjunct flora of the western Cascade peaks
Completed; 1963-68
University of Oregon
James Hickman, Swarthmore College, Swarthmore, PA 19081

4. Distribution of birds and mammals in relation to plant communities
Completed; 1973-81 NSF and private
Ron Nussbaum, Zoology Department, University of Michigan,
Ann Arbor, MI 48109
5. Distribution and role of conifer needle endophytes (fungi on needle surfaces)
Completed; 1976-78
NSF and University of Oregon
George Carroll, Biology Department, University of Oregon,
Eugene, OR 97403
6. Ecological monitoring of long-term effects of energy development
Completed; 1980-84
DOE
W.T. Hinds, Battelle Memorial Institute, Pacific Northwest Laboratory, Richland, WA 99352
7. Effects of environment on forest leaf areas and productivity
Completed; 1976
NSF and Oregon State University
Richard Waring, Forest Science Department, Oregon State University, Corvallis, OR 97331
8. Effects of environment on decomposition and nutrient-cycling processes Completed; 1974-76
NSF and Oregon State University
Kermit Cromack, Forest Science Department, Oregon State University, Corvallis, OR 97331
9. Environmental relations of forest communities in the western Cascades of Oregon
Current; 1970
NSF and Oregon State University
Arthur McKee, Forest Science Department, Oregon State University, Corvallis, OR 97331
10. Growth and yield of noble fir stands
Current; 1976
FS
Jerry Franklin, Forestry Sciences Laboratory, 3200 Jefferson Way, Corvallis, OR 97331

11. Habitat type classification for western Cascade forests
Completed; 1967-76
FS
Jerry Franklin, Forestry Sciences Laboratory, 3200
Jefferson Way, Corvallis, OR 97331
12. Relation of site index to habitat types in the Pacific
Silver Fir Zone
Current; 1967
FS
Jerry Franklin, Forestry Sciences Laboratory, 3200
Jefferson Way, Corvallis, OR 97331
13. Distribution and abundance of lichens in old-growth conifer
stands
Completed; 1977-80
NSF
Larry Pike, 38563 Wendling Road, Marcola, OR 97454
14. Meadow invasion by Abies procera
Current; 1986
Personal (Michael Trayner) and Oregon State University
Michael Trayner, Environmental School of Forestry,
Syracuse, NY 13210

Carkin and others 1978 (2); Carroll and Carroll 1978 (5);
Dyrness and others 1976 (11); Franklin 1968 (2), 1983 (10);
Franklin and others 1972, 1974 (2), 1986b (10); Fujimori and
others 1976 (7); Hawk and others 1978 (10, 11); Hemstrom and
others 1982, 1985; Herman and others 1978; Hickman 1968 (3),
1976 (3); Hinds 1984 (6); Howe 1978 (13); Klopsch and others
1979; Vale 1981; Waring and Franklin 1979; Webb and others
1983; Weirs and Nussbaum 1975; Zobel and others 1976 (9).

Willamette Floodplain RNA, William L. Finley National Wildlife
Refuge, OR (FWS)

1. Assessment of burning prairie vegetation in Willamette
Valley
Current; 1982
FWS
Robert Frenkel, Geography Department, Oregon State
University, Corvallis, OR 97331
2. Composition, succession, and productivity in Willamette
Valley grasslands
Current; 1971
Pacific Northwest Natural Area Committee
Jerry Franklin, Forestry Sciences Laboratory, 3200
Jefferson Way, Corvallis, OR 97331

3. Effects of burning on prairie ecosystems
Current; 1972
Pacific Northwest Natural Area Committee
Jerry Franklin, Forestry Sciences Laboratory, 3200
Jefferson Way, Corvallis, OR 97331
4. Vegetation ecology of a Fraxinus latifolia community
Current; 1981
Oregon State University
Robert Frenkel, Geography Department, Oregon State
University, Corvallis, OR 97331
5. Relation of water table to Fraxinus communities
Current; 1983
Personal (Diana Bodker)
Diana Bodker, General Science, Oregon State University,
Corvallis, OR 97331

Balster and Parsons 1968; Heinitz 1982 (4); Landa 1977; Parsons and others 1967.

Wolf Creek RNA. Okanogan National Forest. WA (FS)

1. Community types and long-term permanent sample plots of the
Okanogan National Forest
Current; 1976
FS
Clint Williams, Okanogan National Forest, Okanogan, WA
98840

Franklin and others 1972; Williams and Lillybridge 1983 (1).

References

- Adams, J.N.; Beschta, R.L. 1980. Gravel bed composition in Oregon coastal streams. *Canadian Journal of Fisheries and Aquatic Science*. 37(10): 1514-1521.
- Agee, James K.; Wasem, C. Robert. [1987]. Stetattle Creek Research Natural Area. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. Supplement to: Federal Research Natural Areas in Oregon and Washington: a guidebook for scientists and educators. On file at: Forestry Sciences Laboratory, Corvallis, OR.
- Allen, J.N. 1980. The ecology and behavior of the long-billed curlew in southeastern Washington. *Wildl. Monogr.* 73. Lawrence, KS: Wildlife Society. 67 p.
- Allison, I.S. 1954. Pluvial lake levels of south-central Oregon. *Bulletin of the Geological Society of America*. 65: 1331.
- Anderson, Stanley. 1970a. The ecological relationships of birds in the forests of western Oregon. Corvallis, OR: Oregon State University. 130 p. M.S. thesis.
- Anderson, Stanley H. 1970b. The avifaunal composition of Oregon white oak stands. *The Condor*. 72: 417-423.
- Anderson, Stanley H. 1972. Seasonal variations in forest birds of western Oregon. *Northwest Science*. 46(3): 194-206.
- Anonymous. 1985. Steens Mountain research reveals grazing effects. *Friends of Malheur Coyote Buttes Bulletin: Newsletter of the Malheur Field Station*. Princeton, OR: Malheur Field Station; 2(1): 1-2.
- Antevs, F. 1938. Rainfall and tree growth in the Great Basin. *Spec. Publ.* 21. Washington, DC: American Geographical Society. 97 p.
- Antevs, F. 1955. Geologic-climatic dating in the West. *American Antiquity*. 20: 317-335.
- Atzet, Thomas; Waring, R.H. 1970. Selective filtering of light by coniferous forests and minimum light energy requirements for regeneration. *Canadian Journal of Botany*. 48: 2163-2167.
- Atzet, Thomas; Wheeler, David L. 1984. Preliminary plant associations of the Siskiyou Mountain province. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. 315 p.

- Atzet, Tom; Wheeler, Dave; Riegel, Gregg [and others]. 1984. The mountain hemlock and shasta red fir series of the Siskiyou region of southwest Oregon. Corvallis, OR: Oregon State University, Extension Service, Forestry Intensified Research; FIR Rep. 6(1): 58-61.
- Au, D.W.K. 1972. Population dynamics of the coho salmon and its response to logging in three coastal streams. Corvallis, OR: Oregon State University. 245 p. Ph. D. dissertation.
- Baker, Gail; Greene, Sarah; Harmon, Mark; Wiersma, Bruce. 1984 December. A study of selected ecosystem parameters with potential sensitivity to airborne pollutants. On file at: Olympic National Park, Port Angeles, WA; paper given at symposium on acid rain research at Olympic National Park.
- Balster, C.A.; Parsons, R.B. 1968. Geomorphology and soils, Willamette Valley, Oregon. Spec. Rep. 265. Corvallis, OR: Oregon Agricultural Experiment Station. 31 p.
- Baugh, Thomas Michael. 1975 September. Gold Lake bog - biological treasure. Pacific Search. 2-3.
- Bennington, William L. 1972. Comparison of the vegetational composition of grazed and protected sites on Turnbull National Wildlife Refuge, Spokane County, Washington. Cheney, WA: Eastern Washington University. [Pages unknown]. M.S. thesis.
- Berry, Dick Wallace. 1963. An ecological study of a disjunct ponderosa pine forest in the northern Great Basin in Oregon. Corvallis, OR: Oregon State University. 291 p. Ph. D. dissertation.
- Beschta, R.L. 1978. long-term patterns of sediment production following road construction and logging in the Oregon Coast Range. Water Resources Research. 14(6): 1011-1016.
- Beschta, R.L. 1980. Turbidity and suspended sediment relationships. In: Proceedings, watershed management symposium; 21-23 July. Boise, 10: Irrigation and Drainage Division, American Society of Civil Engineers; 271-282.
- Beschta, R.L. 1981a. Increased bag size improves Helley-Smith bedload sampler for use in streams with high sand and organic matter transport. In: Erosion and sediment transport measurement: proceedings of the symposium. Publ. 133. Christchurch, NZ: International Association of Hydrological Sciences; 17-25.

- Beschta, R.L. 1981b. Patterns of sediment and organic matter transport in Oregon Coast Range streams. In: Erosion and sediment transport in Pacific Rim steepplands: Proceedings of the symposium. Publ. 132. Christchurch, NZ: International Association of Hydrological Sciences; 179-188.
- Beschta, R.L. 1983a. Sediment and organic matter transport in mountain streams of the Pacific Northwest. In: Proceedings, D.B. Simons symposium on erosion and sedimentation. Fort Collins, CO: Simons, Li and Associates; 1-69 to 1-89.
- Beschta, R.L.; O'Leary, S.J.; Edwards, R.E.; Knoop, K.D. 1981. Sediment and organic matter transport in Oregon Coast Range streams. WRRRI-70. Corvallis, OR: Oregon State University, Water Resources Institute. 67 p.
- Beschta, Robert L. 1983b. The effects of large organic debris upon channel morphology: a flume study. In: Proceedings, D.B. Simons symposium on erosion and sedimentation. Fort Collins, CO: Simons, Li and Associates; 8-63 to 8-78.
- Bickford, Carol E. 1979. Aspects of the social structure of the California ground squirrel (Spermophilus beecheyi) in western Oregon. Corvallis, OR: Oregon State University. 56 p. M.S. thesis.
- Boone, R.D. 1982. Patterns of soil organic matter and microclimate accompanying the death and regeneration of a mountain hemlock (Tsuga mertensiana) Forest, Corvallis, OR: Oregon State University. [Pages unknown]. M.S. thesis.
- Boone, R.O.; Sollins, P.; Cromack, K., Jr. 1986. Patterns of soil carbon and nitrogen along a mountain hemlock death and regrowth sequence. On file at: Forest Science Department, Oregon State University, Corvallis, OR.
- Bork, Joyce. 1985. Fire management plan for the Pringle Falls Research Natural Area. Report. 30 p. On file at: Silviculture Laboratory, 1027 N.W. Trenton Ave., Bend, OR.
- Bradley, William P.; Driver, Chas. H. 1981. Elk ecology and management perspectives at Mount Rainier National Park. Seattle, WA: National Park Service. 27 p.
- Bretz, J. Harlen. 1959. Washington's channeled scabland. Bull. 45. Olympia, WA: Washington State Division of Mines and Geology. 57 p.

- Bridge, Galen S. 1973. Proposed telemetry of mountain snow pack and related data for Washington. Portland, OR: U.S. Department of Agriculture, Soil Conservation Service. 6 p.
- Broch, Edmund S. 1969. The osmotic adaptation of the fairy shrimp Branchinecta campestris lynchi to saline astatic waters. Limnology and Oceanography. 14(4): 485-492.
- Brockway, Dale G.; Topik, Christopher; Hemstrom, Miles A.; Emmingham, William H. 1983. Plant association and management guide for the Pacific Silver Fir Zone. R6-Ecol-130a. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. 123 p.
- Brown, G.W. 1969. Predicting temperatures of small streams. Water Resources Research. 5(1): 68-75.
- Brown, G.W. 1970. Predicting the effect of clearcutting on stream temperature. Journal of Soil and Water Conservation. 25(1): 11-13.
- Brown, G.W. 1972. The Alsea watershed study. Loggers Handbook. 32: 13 -15, 127 -130.
- Brown, G.W.; Gahler, A.R.; Marston, R.B. 1973. Nutrient losses after clear-cut logging and slash burning in the Oregon Coast Range. Water Resources Research. 9(5): 1450-1453.
- Brown, G.W.; Krygier, J.T. 1967. Changing water temperatures in small mountain streams. Journal of Soil and Water Conservation. 22(6): 242-244.
- Brown, G.W.; Krygier, J.T. 1970. Effects of clearcutting on stream temperature. Water Resources Research. 6(4): 1133-1139.
- Brown, G.W.; Krygier, J.T. 1971. Clearcut logging and sediment production in the Oregon Coast Range. Water Resources Research. 7(5): 1189-1198.
- Brown, George W. 1967. Temperature prediction using energy budget techniques on small mountain streams. Corvallis, OR: Oregon State University. 120 p. Ph. D. dissertation.
- Buckhorn, W.J.; Orr, P.W. 1959. Forest insect conditions in the Pacific Northwest during 1959. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 37 p.

- Buckman, Robert E.; Quintus, Richard L. 1972. Natural Areas of the Society of American Foresters. Washington, DC: Society of American Foresters. 38 p.
- Campbell, A.J.; Sidle, R.C.; Froehlich, H.A. 1982. Prediction of peak flows for culvert design on small watersheds in Oregon. WRR-74. Corvallis, OR: Oregon State University, Water Resources Institute. 98 p.
- Campbell, Alsie G.; Franklin, Jerry F. 1979. Riparian vegetation in Oregon's western Cascade mountains: composition, biomass, and autumn phenology. Coniferous For. Biome Bull. 14. Seattle, WA: University of Washington. 90 p.
- Campbell, H.J. 1970. Alsea watershed study: a progress report. In: Proceedings, 50th annual conference, Western Association of State Game and Fish Commissioners. Victoria, BC: Western Association of State Game and Fish Commissioners; 172-181.
- Canfield, Joan E. 1977. The ecological life history of Trifolium thompsonii Morton, with reference to its restricted distribution. Seattle, WA: University of Washington. [Pages unknown]. M.S. thesis.
- Carkin, Richard E.; Franklin, Jerry F.; Booth, Jack; Smith, Clark E. 1978. Seeding habits of upper-slope tree species. 4: Seed flight of noble fir and Pacific silver fir. Res. Note PNW-312. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 10 p.
- Carlson, Lief; Geupel, Geoff; Kjelson, Janet [and others]. 1980. Geographic range, habitat requirements and a preliminary population study of Spermophilus washingtoni: final technical report. 24 p. On file at: Forestry Sciences Laboratory, Corvallis, OR.
- Carroll, George C.; Carroll, Fanny E. 1978. Studies on the incidence of coniferous needle endophytes in the Pacific Northwest. Canadian Journal of Botany. 56(24): 3034-3043.
- Chapman, D.W. 1962. Aggressive behavior in juvenile coho salmon as a cause of emigration. Journal of Fisheries Research Board of Canada. 19: 1047-1080.
- Chapman, D.W. 1965. Net production of juvenile coho salmon in three Oregon streams. Transactions of the American Fisheries Society. 94(1): 40-52.

- Chapman, D.W. 1966. The relative contributions of aquatic and terrestrial primary producers to the trophic relations of stream organisms. In: Proceedings, Pymatuning laboratory symposia in ecology. Spec. Publ. 4. Pittsburgh, PA: University of Pittsburgh; 116-130.
- Chapman, D.W.; Corliss, J.F.; Phillips, R.W.; Demory, R.L. 1961. Alsea watershed study: summary report. Misc. Pap. 110. Corvallis, OR: Oregon State University, Agricultural Experiment Station. 52 p.
- Chapman, D.W.; Demory, R.L. 1963. Seasonal changes in the food ingested by aquatic insect larvae and nymphs in two Oregon streams. Ecology. 44(1): 140-146.
- Chapman, Donald W. 1961. Factors determining production of coho salmon, Oncorhynchus kisutch, in three Oregon streams. Corvallis, OR: Oregon State University. 214 p. Ph. D. dissertation.
- Christy, John A. 1980. Additions to the moss flora of Oregon. The Bryologist. 83(3): 355-358.
- Christy, John A.; Lyford, John H.; Wagner, David H. 1982. Checklist of Oregon mosses. The Bryologist. 85(1): 22-36.
- Clevenger, Sarah T. 1983. The isolation of thermophilic Naegleria from waters in Spokane County, Washington. Cheney, WA: Eastern Washington University. [Pages unknown]. M.S. thesis.
- Cline, J.F.; Rickard, W.H. 1973. Herbage yields in relation to soil water and assimilated nitrogen. Journal of Range Management. 26: 296-298.
- Cline, J.F.; Rickard, W.H. 1974. Isotope uptake from halophyte affected soil. Northwest Science. 48: 235-238.
- Cline, J.F.; Uresk, D.W.; Rickard, W.H. 1977a. Comparison of soil water used by a sagebrush-bunchgrass and a cheatgrass community. Journal of Range Management. 30(3): 199-201.
- Cline, J.F.; Uresk, D.W.; Rickard, W.H. 1977b. Plants and soil of a sagebrush community on the Hanford Reservation. Northwest Science. 51(1): 60-70.
- Coble, D.W. 1961. Influence of water exchange and dissolved oxygen in redds on survival of steelhead trout embryos. Transactions of the American Fisheries Society. 90(4): 469-474.

- Coble, Daniel W. 1960. The influence of environmental conditions in redds on the survival of salmonid embryos. Corvallis, OR: Oregon State University. 37 p. M.S. thesis.
- Cole, David. 1977. Ecosystem dynamics in the coniferous forest of the Willamette Valley, Oregon, U.S.A. *Journal of Biogeography*. 4: 181-182.
- Copeland, William N. 1979. Harney Lake Research Natural Area. Suppl. 9. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 21 p. Supplement to: Federal Research Natural Areas in Oregon and Washington: a guidebook for scientists and educators.
- Copeland, William N.; Greene, Sarah E. 1982. Stinking Lake Research Natural Area. Suppl. 12. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 21 p. Supplement to: Federal Research Natural Areas in Oregon and Washington: a guidebook for scientists and educators.
- Corliss, J.F.; Dyrness, C.T. 1964. Soil and vegetation survey, Alsea area, Oregon. Corvallis, OR: U.S. Department of Agriculture, Soil Conservation Service. 130 p. In cooperation with: Oregon State University; U.S. Department of the Interior, Bureau of Land Management; U.S. Department of Agriculture, Forest Service.
- Corliss, J.F.; Dyrness, C.T. 1965. A detailed soil-vegetation survey of the Alsea area in the Oregon Coast Range. In: Youngberg, C.T., ed. *Forest-soil relationships in North America*. Corvallis, OR: Oregon State University Press; 457-483.
- Cornelius, Lynn. 1982. Checklist of vascular plants of Sister Rocks Research Natural Area. Adm. Rep. PNW-2. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 8 p.
- Cornelius, Lynn C.; Schuller, Reid. 1982. Checklist of the vascular plants of Cedar Flats Research Natural Area. Adm. Rep. PNW-5. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 14 p.
- Cornely, J.E. 1980. Mammals: Malheur National Wildlife Refuge, Oregon. Burns, OR: U.S. Department of the Interior, Fish and Wildlife Service. 7 p.

- Crandell, Dwight R. 1964. Pleistocene glaciations of the southwestern Olympic Peninsula, Washington. Prof. Pap. 501B. Washington, DC: U.S. Geological Survey; 8135-8139.
- Cromack, K., Jr. 1985. Forest ecosystem response to pathogens. In: Thies, W.G., ed. Proceedings, 3d annual western international forest disease work conference. Corvallis, OR: Oregon State University, Department of Printing; 18-19.
- Cross, Stephen P. 1973. Preliminary vertebrate faunal survey of the Ashland Research Natural Area. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; report. 13 p.
- Current, William L. 1974. Dynamics of the endoparasite fauna infecting a population of black bullheads, Ictalurus melas Rafinesque, from eastern Washington. Cheney, WA: Eastern Washington University. [Pages unknown]. M.S. thesis.
- Curtis, Alan. 1986a. Camas Swale Research Natural Area. Suppl. 21. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 18 p. Supplement to: Federal Research Natural Areas in Oregon and Washington: a guidebook for scientists and educators.
- Curtis, Alan. 1986b. Fox Hollow Research Natural Area. Suppl. 22. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. Supplement to: Federal Research Natural Areas in Oregon and Washington: a guidebook for scientists and educators. [In press.]
- Curtis, Alan. 1986c. Mohawk Research Natural Area. Suppl. 23. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. Supplement to: Federal Research Natural Areas in Oregon and Washington: a guidebook for scientists and educators. [In press.]
- Curtis, Alan. 1986d. Upper Elk Meadows Research Natural Area. Suppl. 18. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 19 p. Supplement to: Federal Research Natural Areas in Oregon and Washington: a guidebook for scientists and educators.
- Cushman, Martha J. 1981. The influence of recurrent snow avalanches on vegetation patterns in the Washington Cascades. Seattle, WA: University of Washington. 175 p. Ph. D. dissertation.

- Dahms, Walter G.; Barrett, James W. 1975. Seed production of central Oregon ponderosa and lodgepole pines. Res. Pap. PNW-191. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 13 p.
- Danner, Wilbert R. 1955. Geology of Olympic National Park. Seattle, WA: University of Washington Press. 68 p.
- Davidson, Eric Duncan. 1967. Synecological features of a natural headland prairie on the Oregon coast. Corvallis, OR: Oregon State University. 80 p. M.S. thesis.
- DeBell, Dean S.; Franklin, Jerry F. 1986. Old-growth Douglas-fir and western hemlock: a 36-year record of growth and mortality. On file at: Forestry Sciences Laboratory, Corvallis, OR.
- del Moral, R. 1972. Diversity patterns in forest vegetation of the Wenatchee Mountains, Washington. Bulletin of the Torrey Botanical Club. 99: 57-64.
- del Moral, R. 1974. Species patterns in the upper North Fork Teanaway River drainage, Wenatchee Mountains, Washington. Syesis. 7: 13-30.
- del Moral, R. 1982. Control of vegetation on contrasting substrates: herb patterns on serpentine and sandstone. American Journal of Botany. 69: 227-238.
- Demory, Robert L. 1961. Foods of juvenile coho salmon and two insect groups in the coho diet in three tributaries of the Alsea River, Oregon. Corvallis, OR: Oregon State University. 68 p. M.S. thesis.
- Denison, Robert. 1977. The effects of acid rain on nitrogen fixation in western Washington coniferous forests. Water Air Soil Pollution. 8: 21-34.
- Denison, Robert; Caldwell, Bruce; Bormann, Bernard [and others]. 1976. The effects of acid rain on nitrogen fixation in western Washington coniferous forests. In: Proceedings, 1st international symposium on acid precipitation and the forest ecosystem. Gen. Tech. Rep. NE-23. Broomall, PA: Northeastern Forest Experiment Station; 933-949.
- Dennis, La Rae June. 1959. A taxonomic study of the vascular flora of Ashland Peak, Jackson County, Oregon. Corvallis, OR: Oregon State University. 114 p. M.S. thesis.

- Dole, H.M. 1942. Petrography of Quaternary lake sediments of northern Lake County, Oregon. Corvallis, OR: Oregon State University. 98 p. M.S. thesis.
- Donaldson, N.C.; Giese, L.D. 1968. Soil survey of Spokane County, Washington. Spokane, WA: U.S. Department of Agriculture, Soil Conservation Service; Washington Agricultural Experiment Station. 143 p.
- Dott, R.H., Jr. 1971. Geology of southwestern Oregon coast west of the 124th meridian. Bull. 69. Salem, OR: Oregon Department of Geological and Mineral Industries. 63 p.
- Douglas, George. 1970. A vegetation study in the subalpine zone of the western north Cascades, Washington. Seattle, WA: University of Washington. 293 p. M.S. thesis.
- Douglas, George W.; Ballard, T.M. 1971. Effects of fire on alpine plant communities in the north Cascades, Washington. Ecology. 52(6): 1058-1064.
- Douglas, George W.; Bliss, L.C. 1977. Alpine and high subalpine plant communities of the north Cascades Range, Washington and British Columbia. Ecological Monographs. 47(2): 113-150.
- Driscoll, Richard S. 1964. A relict area in the central Oregon juniper zone. Ecology. 45(2): 345-353.
- Dronen, Norman O., Jr. 1970. The life history of a species of Cephalogonimus (Trematoda: Cephalogonimidae) from Ambystoma tigrinum Green of eastern Washington. Cheney, WA: Eastern Washington University. [Pages unknown]. M.S. thesis.
- Dronen, Norman O., Jr.; Lang, Bruce Z. 1974. The life cycle of Cephalogonimus salamandrus sp. N. (Digenea: Cephalogonimidae) from eastern Washington. Journal of Parasitology. 60(1): 75-79.
- Dyrness, C.T.; Franklin, Jerry F.; Maser, Chris. 1973. Wheeler Creek Research Natural Area. Suppl. 1. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 16 p. Supplement to: Federal Research Natural Areas in Oregon and Washington: a guidebook for scientists and educators.
- Dyrness, C.T.; Franklin, Jerry F.; Maser, Chris [and others]. 1975. Research Natural Area needs in the Pacific Northwest: a contribution to land-use planning. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 231 p.

- Dyrness, C.T.; Franklin, Jerry F.; Moir, W.H. 1976. A preliminary classification of forest communities in the central portion of the western Cascades of Oregon. Coniferous For. Biome Bull. 4. Seattle, WA: University of Washington. 123 p.
- Evans, Raymond D. 1986. Relationship between snowmelt and sub-alpine meadow community pattern, Excelsior Ridge, western North Cascades. Bellingham, WA: Department of Biology, Western Washington University. 44 p. M.S. thesis.
- Federal Committee on Ecological Reserves. 1977. A directory of Research Natural Areas on Federal lands of the United States of America. Washington, DC: U.S. Department of Agriculture, Forest Service. 280 p.
- Feldhamer, George A. 1971. Factors affecting the ecology of small mammals on Malheur National Wildlife Refuge. Corvallis, OR: Oregon State University. 84 p. Ph. D. dissertation.
- Fitzner, R.E. 1978a. Behavior and ecology of Swainson's hawks in Washington. Pullman, WA: Washington State University. [Pages unknown]. Ph. D. dissertation.
- Fitzner, R.E. 1978b. Time-lapse photography for field studies of raptorial birds. In: Kitchings, J.T.; Tarr, N.E., eds. Natural resource inventory, characterization and analysis: Proceedings of the National Environmental Research Park symposium. ORNL-5304. Oak Ridge, TN: Oak Ridge National Laboratory; [pages unknown].
- Fitzner, R.E.; Rogers, L.E.; Uresk, D.W. 1978. Techniques useful for determining raptor prey-species abundance. Raptor Research. 11: 61-11.
- Fonda, R.W. 1974. Forest succession in relation to river terrace development in Olympic National Park, Washington. Ecology. 55(5): 921-942.
- Fonda, Richard W. 1981. Baseline inventory of the North Fork Nooksack Research Natural Area. 21 p. On file at: Forestry Sciences laboratory, Corvallis, OR; report of research conducted for U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, OR; Co-op Agreement N 56-PNW-78.
- Franklin, J.F.; Moir, William H.; Hemstrom, Miles A.; Greene, Sarah. 1986a. Forest communities of Mount Rainier National Park. On file at: Forestry Sciences laboratory, Corvallis, OR.

- Franklin, Jerry F. 1968. Cone production by upper-slope conifers. Res. Pap. PNW-60. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 21 p.
- Franklin, Jerry F. 1983. Ecology of noble fir. In: Oliver, Chadwick Dearing; Kenady, Reid M., eds. The biology and management of true fir in the Pacific Northwest: Proceedings of the symposium; 1981 February 24-26; Seattle, WA. Seattle, WA: University of Washington, College of Forest Resources; Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station; 59-69.
- Franklin, Jerry F.; DeBell, Dean S. 1986. Thirty-six years of tree population change in an old-growth Pseudotsuga-Tsuga forest. On file at: Forestry Sciences Laboratory, Corvallis, OR.
- Franklin, Jerry F.; Carkin, Richard; Booth, Jack. 1974. Seeding habits of upper-slope tree species. 1: A 12-year record of cone production. Res. Note PNW-213. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 11 p.
- Franklin, Jerry f.; Cromack, Kermit, Jr.; Denison, William [and others]. 1981. Ecological characteristics of old-growth Douglas-fir forests. Gen. Tech. Rep. PNW-118. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 48p.
- Franklin, Jerry F.; Dyrness, C.T. 1973. Natural vegetation of Oregon and Washington. Gen. Tech. Rep. PNW-8. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 417 p.
- Franklin, Jerry F.; Hall, Frederick C.; Dyrness, C.T.; Maser, Chris. 1972. Federal Research Natural Areas in Oregon and Washington: a guidebook for scientists and educators. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. [Individual paging for each Research Natural Area description].
- Franklin, Jerry f.; Hemstrom, Miles A. 1981. Aspects of succession in coniferous forests of the Pacific Northwest. In: West, Darrell C.; Shugart, Herman H.; Botkin, Daniel B., eds. Forest succession: concepts and application. New York: Springer-Verlag; 212-229.

- Franklin, Jerry F.; Klopsch, Mark; Luchessa, Karen J.; Harmon, Mark E. 1986b. Tree mortality in some mature and old-growth forests in the Cascade Range of Oregon and Washington. On file at: Forestry Sciences Laboratory, Corvallis, OR.
- Franklin, Jerry F.; Mitchell, Russel G. 1967. Successional status of subalpine fir in the Cascade Range. Res. Pap. PNW-46. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 16 p.
- Franklin, Jerry F.; Moir, William H.; Douglas, George W.; Wiberg, Curt. 1971. Invasion of subalpine meadows by trees in the Cascade Range. Arctic and Alpine Research. 3: 215-224.
- Franklin, Jerry F.; Spies, Thomas; Perry, David [and others]. [In press]. Modifying Douglas-fir management regimes for nontimber objectives. In: Douglas-fir: stand management for the future: Proceedings of the symposium; 1985 June 18-20; Seattle, WA. Seattle, WA: University of Washington.
- Franklin, Jerry F.; Wiberg, Curt. 1979. Goat Marsh Research Natural Area: Suppl. 10. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 19 p. Supplement to: Federal Research Natural Areas in Oregon and Washington: a guidebook for scientists and educators.
- Franklin, Jerry Forest. 1966. Vegetation and soils in the subalpine forests of southern Washington Cascade Range. Pullman, WA: Washington State University. 132 p. Ph. D. dissertation.
- Frenkel, Robert E.; Kiilsgaard, Christen W. 1984. Vegetation classification and map of the central Siskiyou Mountains, Oregon. Final report for NASA-Ames, Univ. Joint Res. Interchange SEA-1600/T-4885. Moffett Field, CA: NASA-Ames. 101 p.
- Frenkel, Robert E.; Mair, William H.; Christy, John A. 1986. Vegetation of Torrey Lake mire, central Cascades, Oregon. Madrono. 33(1): 24-39.
- Frenzen, Peter; Franklin, Jerry. 1986. Mortality and initial vegetation recovery in an old-growth terrace forest following inundation by mudflows from the 1980 eruptions of Mount St. Helens. On file at: Forestry Sciences Laboratory, Corvallis, OR.

- Fujimori, Takao; Jawanabe, Saburo; Saito, Hideki [and others]. 1976. Biomass and primary production in forests of three major vegetation zones of the northwestern United States. *Journal of the Japanese Forestry Society*. 58(10): 360-373.
- Gano, K.A.; Rickard, W.H. 1982. Small mammals of a bitterbrush-cheatgrass community. *Northwest Science*. 56: 1-17.
- Gashwiler, Jay S. 1977. Bird populations in four vegetational types in central Oregon. *Spec. Sci. Rep.-Wildl.* 205. Washington, DC: U.S. Department of the Interior, Fish and Wildlife Service. 20 p.
- Gessel, Stanley P.; Balci, A. Nihat. 1965. Amount and composition of forest floors under Washington coniferous forests. In: Youngberg, C.T., ed. *Forest-soil relationships in North America*. Corvallis, OR: Oregon State University Press; 11-23.
- Gholz, H.L. 1980. Structure and productivity of Juniperus occidentalis in central Oregon. *American Midland Naturalist*. 103(2): 251-261.
- Gholz, Henry L. 1979. limits on aboveground net primary production, leaf area, and biomass in vegetational zones of the Pacific Northwest. Corvallis, OR: Oregon State University. 61 p. Ph. D. dissertation.
- Gholz, Henry L. 1982. Environmental limits on aboveground net primary production, leaf area, and biomass in vegetation zones of the Pacific Northwest. *Ecology*. 63(2): 469-481.
- Gillerman, Dennis J. 1968. Rapid calibration of coastal streams to detect effects of road building. Corvallis, OR: Oregon State University. 51 p. M.S. thesis.
- Glad, Judith. 1974. Field notes. On file at: Vale District Office, Bureau of land Management, Vale, OR.
- Grant, G.E.; Crozier, M.J.; Swanson, F.J. 1984. An approach to evaluating off-site effects of timber harvest activities on channel morphology. In: O'Loughlin, C.L.; Pearce, A.J., eds. *Proceedings, symposium on effects of forest land use on erosion and slope stability*; 1984 May 7-11; Honolulu, HI. Honolulu, HI: University of Hawaii, Environment and Policy Institute; 177-186.
- Green, Gregory A. 1983. Ecology of breeding burrowing owls in the Columbia Basin, Oregon. Corvallis, OR: Oregon State University. 51 p. M.S. thesis.

- Green, Gregory A.; Anthony, Robert G. 1986. Nesting success and habitat relationships of burrowing owls in the Columbia Basin, Oregon. On file at: Department of Fisheries and Wildlife, Oregon State University, Corvallis, OR.
- Green, Gregory A.; Morrison, Michael L. 1983. Nest site characteristics of sympatric ferruginous and Swainson's hawks. Murrelet. 64: 20-22.
- Greene, Sarah. 1983. Indian Creek Research Natural Area. Suppl. 14. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 15 p. Supplement to: Federal Research Natural Areas in Oregon and Washington: a guidebook for scientists and educators.
- Greene, Sarah; Copeland, Bill. 1984. Poker Jim Ridge Research Natural Area. Suppl. 16. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 19 p. Supplement to: Federal Research Natural Areas in Oregon and Washington: a guidebook for scientists and educators.
- Greene, Sarah; Leshner, Robin; Wasem, Robert. 1984. Silver lake Research Natural Area. Suppl. 15. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 15 p. Supplement to: Federal Research Natural Areas in Oregon and Washington: a guidebook for scientists and educators.
- Greene, Sarah E. 1982. Neskowin Crest Research Natural Area. Suppl. 13. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 17 p. Supplement to: Federal Research Natural Areas in Oregon and Washington: a guidebook for scientists and educators.
- Greene, Sarah E. 1984. Forest structure and dynamics in an Oregon coast Tsuga heterophylla-Picea sitchensis forest. Bulletin of the Ecological Society of America. 65(2): 207. Abstract.
- Greene, Sarah E.; Franklin, Jerry F. [In press]. Middle Santiam Research Natural Area. Suppl. 24. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. Supplement to: Federal Research Natural Areas in Oregon and Washington: a guidebook for scientists and educators.

- Greene, Sarah E.; Frenkel, Robert E. 1986. Steamboat Mountain Research Natural Area. Suppl. 20. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 19 p. Supplement to: Federal Research Natural Areas in Oregon and Washington: a guidebook for scientists and educators.
- Gregory, S.V. 1983. Plant-herbivore interactions in stream ecosystems. In: Minshall, G.W.; Barnes, J.R., eds. Stream ecology: application and testing of general ecological theory. New York: Plenum Press; 157-189.
- Hajek, B.F. 1966. Soil survey of the Hanford project in Benton County, Washington. Res. and Dev. Rep. BNW1-243. Richland, WA: Atomic Energy Commission. 17 p.
- Hajek, Benjamin F.; Wildung, Raymond E. 1969. Chemical characterization of pond sediments. Northwest Science. 43: 130-134.
- Hakonson, T.E.; Rickard, W.H. 1969. Radionuclide deposition and elimination in a darkling beetle. Northwest Science. 43: 23-28.
- Hall, Frederick C. 1968a. Influences of variations in elevation on range vegetation. In: Proceedings, range management workshop. Pullman, WA: Washington State University Press; 1968: 30-34.
- Hall, Frederick C. 1970. An ecological classification proposal and its importance in land management. In: Range and wildlife habitat evaluation: a research symposium. Misc. Publ. 1147. Washington, DC: U.S. Department of Agriculture; 210-216.
- Hall, Frederick C. 1971. Some uses and limitations of mathematical analysis in plant ecology and land management. In: Vol. 3. Statistical ecology. State College, PA: Pennsylvania State University Press; 377-395.
- Hall, Frederick C. 1978. Applicability of rangeland management concepts to forest-range in the Pacific Northwest. In: Proceedings, 1st international rangeland congress. Denver, CO: Society for Range Management; 496-499.
- Hall, Frederick C. 1979a. Ecology of natural underburning in the Blue Mountains of Oregon. R-6 Ecol-79-001. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. 11 p.

- Hall, Frederick C. 1979b. Silvicultural options. In: Thomas, Jack Ward, ed. Wildlife habitats in managed forests, the Blue Mountains of Oregon and Washington. Agric. Handb. 553. Washington, DC: U.S. Department of Agriculture, Forest Service; 128-147.
- Hall, Frederick C. 1980a. Applications of a classification system based on plant community types (associations) with special reference to wildlife, range, and timber management. In: Proceedings, land-use allocation; processes, people, politics, professionals: SAF national convention; Spokane, WA. Washington, DC: Society of American Foresters; 163-169.
- Hall, Frederick C. 1980b. Western forest and avian management practices. In: Proceedings, management of western forests and grasslands for nongame birds; Salt Lake City, UT. Gen. Tech. Rep. INT-86. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station; 27-37.
- Hall, Frederick Columbus. 1967. Vegetation-soil relations as a basis for resource management on the Ochoco National Forest of central Oregon. Corvallis, OR: Oregon State University. 207 p. Ph. D. dissertation.
- Hall, Frederick Columbus. 1973. Plant communities of the Blue Mountains in eastern Oregon and southeastern Washington. R-6 Area Guide 3-1. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. 62 p.
- Hall, J.D. 1968b. Effects of logging on fish resources. In: Proceedings, 58th Pacific logging congress. The Loggers Handbook. 28: 24-27.
- Hall, J.D.; Campbell, H.J. 1968. The effects of logging on the habitat of coho salmon and cutthroat trout in coastal streams. In: Logging and salmon: Proceedings of a forum; 1968 February 8-9; Juneau, AK. Juneau, AK: The American Institute of Fisheries Research Biologists, Alaska District; 5-37.
- Hall, J.D.; Knight, N.J. 1981. Natural variation in abundance of salmonid populations in streams and its implications for design of impact studies. EPA-600/S-3-81-021. Corvallis, OR: U.S. Environmental Protection Agency. 85 p.
- Hall, J.D.; Krygier, J.T. 1967. Progress report: studies on effects of watershed practices on streams. Report to Federal Water Pollution Control Administration on Research Grant WP-423. Corvallis, OR: Oregon State University. 95 p.

- Hall, J.D.; Lantz, R.L. 1969. Effects of logging on the habitat of coho salmon and cutthroat trout in coastal streams. In: Northcote, T.G., ed. MacMillan lecture series: symposium on salmon and trout in streams; Vancouver, BC. Vancouver, BC: University of British Columbia; 355-375.
- Halpern, Charles; Harmon, M.E. 1983. Early plant succession on the Muddy River mudflow, Mount St. Helens, Washington. *American Midland Naturalist*. 110(1): 97-106.
- Halvorsen, N.M.; Topik, C.; VanVickle, Robert. 1985. Preliminary guide to plant associations of Western Hemlock Zone, Mt. Hood National Forest. 57 p. Report. On file at: Mount Hood National Forest, Gresham, OR.
- Hansen, H.P. 1947. Postglacial vegetation of the northern Great Basin. *American Journal of Botany*. 34: 164-171.
- Hansmann, E.W.; Lane, C.B.; Hall, J.D. 1971. A direct method of measuring benthic primary production in streams. *Limnology and Oceanography*. 16: 822-826.
- Hansmann, E.W.; Phinney, H.K. 1973. Effects of logging on periphyton in coastal streams of Oregon. *Ecology*. 54: 194-199.
- Hansmann, Eugene W. 1969. The effects of logging on periphyton communities of coastal streams. Corvallis, OR: Oregon State University. 120 p. Ph. D. dissertation.
- Harbaugh, John W.; Lambie, Fred W. 1979. Geologic and mineral resource inventory of Jordan Craters, Jackies Butte, and Saddle Butte volcanic fields, Malheur County, Oregon. Report. 69 p. On file at: Bureau of Land Management, Box 700, Vale, OR.
- Harmon, Mark. 1986. logs as sites of tree regeneration in Picea sitchensis-Tsuga heterophylla forests of coastal Washington and Oregon. Draft Ph. D. dissertation on file at: Forestry Sciences Laboratory, Corvallis, OR.
- Harper, Warren C. 1969. Changes in storm hydrographs due to clearcut logging of coastal watersheds. Corvallis, OR: Oregon State University. 116 p. M.S. thesis.
- Harr, R.D.; Harper, W.C.; Krygier, J.T.; Hsieh, F.S. 1975. Changes in storm hydrographs after road building and clear-cutting in the Oregon Coast Range. *Water Resources Research*. 11(3): 436-444.

- Harr, R.D.; Krygier, J.T. 1972. Clearcut logging and low flows in Oregon coastal watersheds. Res. Note 54. Corvallis, OR: Oregon State University, School of Forestry. 3 p.
- Harr, R.D.; Price, K.R. 1972. Evapotranspiration from a phreatophyte community. Water Resources Research. 8: 1199-1203.
- Harris, D.D. 1972. Hydrologic changes after logging in two small Oregon coastal watersheds. Water-Supply Pap. 2037. Washington, DC: U.S. Department of the Interior, Geological Survey. 31 p.
- Harris, D.D. 1973. Hydrologic changes after clear-cut logging in a small Oregon coastal watershed. Journal of Research. Washington, DC: U.S. Geological Survey; 1(4): 487-491.
- Harris, D.D.; Williams, R.C. 1971. Streamflow, sediment transport, and water temperature characteristics of three small watersheds in the Alsea River basin, Oregon. Circ. 642. Washington, DC: U.S. Geological Survey. 21 p.
- Hart, William K. 1983. Lake Cenozoic volcanic stratigraphy of the Jordan Valley area, southeastern Oregon. Oregon Geology. 45: 15-19.
- Hawk, Glenn M. 1974. Little Sink Research Natural Area. Suppl. 4. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 14 p. Supplement to: Federal Research Natural Areas in Oregon and Washington: a guidebook for scientists and educators.
- Hawk, Glenn M.; Franklin, Jerry F.; McKee, W. Arthur; Brown, Randall B. 1978. H.J. Andrews Experimental Forest reference stand system: establishment and use history. Coniferous For. Biome Bull. 12. Seattle, WA: University of Washington. 79 p.
- Hawk, Glenn Martin. 1977. Comparative studies of temperate Chamaecyparis forests. Corvallis, OR: Oregon State University. 195 p. Ph. D. dissertation.
- Heady, Harold F.; Bartolome, James. 1977. The Vale rangeland rehabilitation program: the desert repaired in southeastern Oregon. Resour. Bull. PNW-70. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 139 p.
- Hedlund, J.D.; Rickard, W.H. 1981. Wildfire and the short term response of small mammals inhabiting a sagebrush-bunchgrass community. The Murrelet. 62: 10-14.

- Heinitz, Eric Fajen. 1982. Vegetation ecology of Fraxinus latifolia communities in William L. Finley National Wildlife Refuge. 40 p. On file at: Geography Department, Oregon State University; research paper submitted to Geography Department in partial fulfillment of the requirements for M.S. degree.
- Hemstrom, Miles A. 1979a. Recent forest disturbance history at Mount Rainier National Park, Washington. Bulletin of the Ecological Society of America. 60(2): 102. Abstract.
- Hemstrom, Miles A.; Emmingham, William; Halverson, Nancy M. [and others]. 1982. Plant association and management implications for the Pacific Silver Fir Zone, Mt. Hood and Willamette National Forests. R6-Ecol-100-1982a. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. 104 p.
- Hemstrom, Miles A.; Franklin, Jerry F. 1982. Fire and other disturbances of the forests in Mount Rainier National Park. Journal of Quaternary Research. 18: 32-51.
- Hemstrom, Miles A.; Logan, S.E.; Pavlat, Warren. 1985. Preliminary plant association and management guide, Willamette National Forest. Report. 206 p. On file at: Willamette National Forest, Eugene, OR.
- Hemstrom, Miles A.; Logan, Sheila E. 1986. Plant association and management guide, Siuslaw National Forest. R6-Ecol 220-1986a. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. 121 p.
- Hemstrom, Miles Arthur. 1979b. A recent disturbance history of forest ecosystems at Mount Rainier National Park. Corvallis, OR: Oregon State University. 67 p. Ph. D. dissertation.
- Henderson, J.A.; Smith, B.; Mauk, R. 1978. Plant communities of the Hoh and Dosewallips drainages, Olympic National Park. Logan, UT: Utah State University, Department of Forestry and Outdoor Recreation; prog. rep.; NPS Contract CX-9000-7-0063. 141 p.
- Henderson, Jan A.; Peter, David. 1981. Preliminary plant associations and habitat types of the Quinalt Ranger District, Olympic National Forest. R-6 Area Guide. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. 96 p.

- Henderson, Jan Alan. 1973. Composition, distribution and succession of subalpine meadows in Mount Rainier National Park. Corvallis, OR: Oregon State University. 153 p. Ph. D. dissertation.
- Henny, C.J.; Blus, L.J.; Kaiser, T.E. 1984. Heptachlor seed treatment contaminates hawks, owls, and eagles of Columbia Basin, Oregon. Raptor Research 18: 41-48.
- Henny, C.J.; Blus, L.J.; Stafford, C.J. 1983. Effects of heptachlor on American kestrels in the Columbia Basin, Oregon. Journal of Wildlife Management. 47: 1080-1087.
- Herman, F.R.; Curtis, R.O.; Demars, D. 1978. Height growth and site index estimates for noble fir in high-elevation forests of the Oregon and Washington Cascade Range. Res. Pap. PNW-243. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 15 p.
- Herman, Steven G.; Bulger, J.B.; Buchanan, J.B. 1981. The snowy plover in southeastern Oregon and western Nevada. 21 p. On file at: Malheur National Wildlife Refuge, Princeton, OR.
- Hickman, James C. 1976. Non-forest vegetation of the central western Cascade mountains of Oregon. Northwest Science. 50(3): 145-154.
- Hickman, James Craig. 1968. Disjunction and endemism in the flora of the central western Cascades of Oregon: an historical and ecological approach to plant distributions. Corvallis, OR: Oregon State University. 334 p.
- Hicks, Brian. 1982. Geology, geomorphology and dynamics of mass movement in parts of the Middle Santiam drainage basin, western Cascades, Oregon. Corvallis, OR: Oregon State University. 169 p. M.S. thesis.
- Hinds, W.T. 1973. Small lysimeters for measurement of water use and herbage yield. Journal of Range Management. 26: 304-306.
- Hinds, W.T. 1974. An ecological assessment of energy and carbon pathways in swards of Bromus tectorum on contrasting slope exposures. Seattle, WA: University of Washington. [Pages unknown]. Ph. D. dissertation.
- Hinds, W.T. 1975. Energy and carbon balances in cheatgrass: an essay in autecology. Ecological Monographs. 45: 367-388.

- Hinds, W.T. 1979. The cesspool hypothesis versus natural areas for research in the United States. *Environmental Conservation*. 6(1): 13-20.
- Hinds, W.T.; Cline, J.F.; Schreckhise, R.G. 1979. Techniques for long-term field studies on plant uptake of transuranics from soil. *Health Physics*. 36: 485-489.
- Hinds, W.T.; McShane, M.C.; Skalski, J.R. 1981. Using litter-fall for quantitative ecological monitoring in conifer forests of the Pacific Northwest. *Bulletin of the Ecological Society of America*. 62: 142. Abstract.
- Hinds, W.T.; Rickard, W.H. 1968. Soil temperatures near a desert steppe shrub. *Northwest Science*. 42: 5-13.
- Hinds, W.T.; Rickard, W.H. 1973. Correlations between climatological fluctuations and a Philolithus densicollis (Horn) (Coleoptera: Tenebrionidae) population. *Journal of Animal Ecology*. 42: 341-351.
- Hinds, W.T.; Rotenberry, J.T. 1979. The relationship between mean and extreme temperatures in diverse microclimates. *Ecology*. 60(5): 1073-1075.
- Hinds, W.T.; Thorp, J.M. 1969. Biotic and abiotic characteristics of the microclimatological network on the Arid lands Ecology Reserve. Rep. BNWL-SA-2133. Richland, WA: Atomic Energy Commission. 57 p.
- Hinds, W. Ted. 1984. Towards monitoring of long-term trends in terrestrial ecosystems. *Environmental Conservation*. 11(1): 11-18.
- Hitchcock, C. Leo; Cronquist, Arthur; Ownbey, Marion; Thompson, J.W. 1961. Vascular plants of the Pacific Northwest. 3: Saxifragaceae to Ericaceae. Seattle, WA: University of Washington Press. 614 p. Vol. 11.
- Hoffnagle, John. 1980. Home on the (bombing) range. *The National Conservancy News*. 30(5): 17-18.
- Hopkins, W.E. 1979. Plant associations of the Fremont National Forest. R6-Ecol-19-004. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. 106 p.
- Howard, H. 1946. A review of the Pleistocene birds of Fossil Lake, Oregon. In: Fossil vertebrates from western North America and Mexico. Publ. 551. Washington, DC: Carnegie Institute; 143-195.

- Howe, Kent Donald. 1978. Distribution and abundance of terrestrial and arboreal lichens in old-growth coniferous forests of the western Cascades of Oregon. Eugene, OR: University of Oregon. [Pages unknown]. M.S. thesis.
- Hsieh, F.S. 1970. Storm runoff response from roadbuilding and logging on small watersheds in the Oregon Coast Range. Corvallis, OR: Oregon State University. 147 p. M.S. thesis.
- Hsieh, Frederic S. 1975. Changes in storm hydrographs after road building and clear cutting in the Oregon Coast Range. *Water Resources Research*. 11(3): 436-444.
- Hubley, R.C. 1956. Glaciers of the Washington Cascades and Olympic Mountains; their present activity and its relation to local climatic trends. *Journal of Glaciology*. 2: 669-684.
- Imper, David Kimberly. 1981. The relation of soil characteristics to growth and distribution of Chamaecyparis lawsoniana and Thuja plicata in southwestern Oregon. Corvallis, OR: Oregon State University. 100 p. M.S. thesis.
- Isaac, Leo A. 1940. Life of seed in the forest floor. Res. Note 31. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 1 p.
- Isaac, Leo A. 1943. Reproductive habits of Douglas-fir. Washington, DC: Charles Lathrop Pack Foundation. 107 p.
- Jackson, William Longstreth. 1981. Bed material routing and streambed composition in alluvial channels. Corvallis, OR: Oregon State University. 160 p. Ph. D. dissertation.
- Janda, Richard J.; Scott, Kevin M.; Nolan, K. Michael; Martinson, Holly A. 1981. Lahar movement, effects, and deposits. In: The 1980 eruptions of Mt. St. Helens, Washington. Prof. Pap. 1250. Washington, DC: U.S. Geological Survey; 461-478.
- Janes, Stewart W. 1983. Status, distribution and habitat selection of the grasshopper sparrow in Morrow County, Oregon. *Murrelet*. 64(2): 51-54.
- Jenkins, K.J. 1979. Home range and habitat use by Roosevelt elk in Olympic National Park. Corvallis, OR: Oregon State University. 84 p. M.S. thesis.

- Jenkins, K.J. 1981. Status of elk populations and lowland habitats in western Olympic National Park. Rep. 81-1. Corvallis, OR: Oregon State University, Cooperative Park Studies Unit. 53 p.
- Jenkins, K.J.; Starkey, E. 1980a. Roosevelt elk of the Hoh Valley, Olympic National Park. Rep. 80-3. Corvallis, OR: Oregon state University, Cooperative Park Studies Unit. 32 p.
- Jenkins, K.J.; Starkey, f.E. 1980b. Home range and habitat use by non-migratory elk (Cervus elaphus roosevelti) in Olympic National Park, Washington. In: Proceedings, 2d conference on science research in national parks. Vol. 7: Ecosystem studies/ interdisciplinary approach. Washington, DC: U.S. Department of the Interior, National Park Service; 102-135.478 p.
- Jenkins, K.J.; Starkey, E.E. 1982. Social organization of Roosevelt elk in an old growth forest. Journal of Mammalogy. 63: 331-334.
- Johnson, Mark. 1974. Interspecific association of Peromyscus maniculatus, Perognathus parvus, and Spermophilus townsendi on the Arid Lands Ecology Reserve examined by data overlap and related data. Tacoma, WA: University of Puget Sound. [Pages unknown]. M.S. thesis.
- Juday, Glenn Patrick. 1976. The location, composition, and structure of old-growth forests of the Oregon Coast Range. Corvallis, OR: Oregon State University. 206 p. Ph. D. dissertation.
- Keen, F.P. 1937. Climatic cycles in eastern Oregon as indicated by tree rings. Monthly Weather Review. 65(5): 175-188.
- Kemp, Lois; Schuller, S. Reid. 1982. Checklist of the vascular plants of Thornton T. Munger Research Natural Area. Adm. Rep. PNW-4. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 16 p.
- Kezer, James. 1978. The Gold Lake bog. Nature Trails. 12(6): 5- 7.
- Kindschy, R.R. 1985. Response of red willow to beaver use in southeastern Oregon. Journal of Wildlife Management. 49(1): 26-28.
- Kindschy, Robert R. 1960-77. Field notes on Jordan Crater's recent lavas. On file at: Vale District Office, Bureau of Land Management, Vale, OR.

- Kindschy, Robert R.; Maser, Chris. 1978. Jordan Crater Research Natural Area. Suppl. 7. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 18 p. Supplement to: Federal Research Natural Areas in Oregon and Washington: a guidebook for scientists and educators.
- King, James P. 1961. Growth and mortality in the Wind River Natural Area. *Journal of Forestry*. 59(10): 768-769.
- Kirk, Ruth. 1966. The Olympic Rain Forest. Seattle, WA: University of Washington Press. 86 p.
- Klopsch, Mark; McKee, Arthur; Franklin, Jerry F. 1979. Diversity of the Research Natural Areas that are part of the H.J. Andrews Experimental Ecological Reserve. *Bulletin of the Ecological Society of America*. 60(2): 108. Abstract.
- Klopsch, Mark W. 1985. Structure of mature Douglas-fir stands in a western Oregon watershed and implications for interpretation of disturbance history and succession. Corvallis, OR: Oregon State University. 52 p. M.S. thesis.
- Knight, N.J. 1980. Factors affecting the smolt yield of coho salmon (Oncorhynchus kisutch) in three Oregon streams. Corvallis, OR: Oregon State University. 101 p. M.S. thesis.
- Koski, K. Victor. 1966. The survival of coho salmon (Oncorhynchus kisutch) from egg deposition to emergence in three Oregon coastal streams. Corvallis, OR: Oregon State University. 84 p. M.S. thesis.
- Kritzman, E.B. 1970. Niche fit and overlap of Peromyscus maniculatus and Perognathus parvus in eastern Washington. Seattle, WA: University of Washington. 86 p. M.S. thesis.
- Krohn, David C. 1968. Production of the reticulate sculpin (Cottus perplexus) and its predation on salmon fry in three Oregon streams. Corvallis, OR: Oregon State University. 78 p. M.S. thesis.
- Kruckeberg, A.R. 1964. Ferns associated with ultramafic rocks in the Pacific Northwest. *American Fern Journal*. 54: 113-126.
- Kruckeberg, A.R. 1969a. Plant life on serpentinite and other ferromagnesian rocks in northwestern North America. *Syesis*. 2: 15-114.

- Kruckeberg, A.R. 1969b. Soil diversity and the distribution of plants, with examples from western North America. *Madroño*. 20: 129-154.
- Kulp, Robert L.; Rabe, Fred W. 1984. Tree swimming invertebrate communities of vernal pools in eastern Washington. *Northwest Science*. 58(3): 177-186.
- LaChapelle, E. 1962. Assessing glacier mass budgets by reconnaissance aerial photograph. *Journal of Glaciology*. 4: 290-296.
- Landa, E.R. 1977. An unusual ant nest morphology for the ant Formica fusca Linne in western Oregon. *Pan-Pacific Entomologist*. 53: 250-252.
- Lang, Bruce. 1977. Snail and mammalian hosts for Fasciola hepatica in eastern Washington. *Journal of Parasitology*. 63(5): 938-939.
- Lang, Bruce Z.; Dronen, Norman O., Jr. 1970. Eggs and attachment sites for egg capsules of Valvata lewisi. *Nautilus*. 84(1): 9-12.
- Langham, G. 1970. Ecology of colonizing plant species on unstable and stabilized sand dunes on the Hanford Reservation. Pullman, WA: Washington State University. [Pages unknown]. Ph. D. dissertation.
- Lantz, R.L. 1967. An ecological study of the effects of logging on salmonids. In: *Proceedings, 47th annual conference, Western Association of State Game and Fish Commissioners*; Honolulu, HI. Honolulu, HI: Western Association of State Game and Fish Commissioners; 323-335.
- Lantz, R.L. 1970. Effects of logging on aquatic resources. In: Rayner, H.J.; Campbell, H.J.; Lightfoot, W.C., eds. *Progress in game and sport fishery research: 1964-69*. Corvallis, OR: Oregon State Game Commission, Research Division; 13-16.
- Larson, E.E. 1965. The structure, stratigraphy, and paleomagnetism of the plush area, southeastern Lake County, Oregon. Boulder, CO: Colorado University. [Pages unknown]. Ph. D. thesis.
- Lawson, Thomas. 1983 April. Management of Port-Orford-cedar and its influence on Phytophthora root rot. Res. Pap. 13. Eugene, OR: Cascade Holistic Environmental Consultants. 22 p.

- Lesher, Robin. 1984. Botanical reconnaissance of Silver Lake Research Natural Area, North Cascades National Park, Washington. Res. Note PNW-410. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 27 p.
- Leslie, D.M., Jr. 1982. Nutritional ecology of cervids in old growth forests in Olympic National Park, Washington. Corvallis, OR: Oregon State University. 153 p. Ph. D. dissertation.
- Lessor, Timothy O. 1978. Predatory food habits of Formica obscuripes Forel on the Turnbull Pine Research Natural Area. Cheney, WA: Eastern Washington University. [Pages unknown]. M.S. thesis.
- Lindsay, Robert B. 1975. Distribution and survival of coho salmon fry after emigration from natal streams. Corvallis, OR: Oregon State University. 41 p. M.S. thesis.
- Lowry, G.R. 1965. Movement of cutthroat trout, Salmo clarki clarki (Richardson), in three Oregon coastal streams. Transactions of the American Fisheries Society. 94: 334-338.
- Lowry, G.R. 1966. Production and food of cutthroat trout in three Oregon coastal streams. Journal of Wildlife Management. 30: 754-767.
- Lowry, Gerald R. 1964. Net production, movement, and food of cutthroat trout (Salmo clarki clarki, Richardson) in three Oregon coastal streams. Corvallis, OR: Oregon State University. 72 p. M.S. thesis.
- Luoma, Daniel. 1986. Synecology of the Monotropeae within Limpy Rock Research Natural Area. Draft M.S. thesis on file at: Forestry Sciences Laboratory, Corvallis, OR.
- Maas, J.L.; Stuntz, D.R. 1969. Mycoecology on serpentine soil. Mycologia. 61: 1106-1116.
- Mack, R.N. 1971. Mineral cycling by big sagebrush in shrub-steppe communities. Pullman, WA: Washington State University. [Pages unknown]. Ph. D. dissertation.
- Mack, Richard N.; Pyke, David A. 1984. The demography of Bromus tectorum: the role of microclimate, grazing, and disease. Journal of Ecology. 72(3): 731-748.
- Macnab, James. 1958. Biotic aspection in the Coast Range mountains of northwestern Oregon. Ecological Monographs. 28: 21-54.

- MacSiurtain, Mairtin. 1979. Wind River Ranger District, Carson, Washington, U.S.A. *Irish Forestry*. 36(1): 19-24.
- Madison, Robert W. 1957. A guide to the Cascade Head Experimental Forest. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 14 p.
- Main, J.L. 1974. Differential responses to magnesium and calcium by native populations of Agropyron spicatum. *American Journal of Botany*. 61: 931-937.
- Malheur National Wildlife Refuge. 1980. [Species lists of birds, fish, amphibians and reptiles, and aerial bird counts]. [Unpagged]. On file at: Malheur National Wildlife Refuge, Prineville, OR.
- Maser, Chris. 1974-76. Field notes. [Unpagged]. On file at: Vale District Office, Bureau of Land Management, Vale, OR.
- Maser, Chris; Mate, Bruce R.; Franklin, Jerry F.; Dyrness, C.T. 1981. Natural history of Oregon coast mammals. Gen. Tech. Rep. PNW-133. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 496 p.
- Matson, P. 1983. Effects of nutrient and light limitations on mountain hemlock: susceptibility to laminated root rot. Corvallis, OR: Oregon State University. [Pages unknown]. Ph. D. dissertation.
- Matson, P.A.; Boone, R. 1984. Natural disturbance and nitrogen mineralization: wave form dieback of mountain hemlock in the Oregon Cascades. *Ecology*. 65: 1511-1516.
- Matson, P.A.; Waring, R.H. 1984. Effects of nutrients and light limitations on mountain hemlock: susceptibility to laminated root rot. *Ecology*. 65: 1517-1524.
- Mayfield, Molly Morton; Kjølmer, Janet. 1984. Boardman Research Natural Area. Suppl. 17. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 19 p. Supplement to: Federal Research Natural Areas in Oregon and Washington: a guidebook for scientists and educators.
- McCorquodale, Scott McKay. 1985. The ecology of elk (Cervus elaphus) in the shrub-steppe of Washington. Seattle: University of Washington. 127 p. M.S. thesis.

- McCullough, D.A. 1975. Bioenergetics of three aquatic insects. Pocatello, 10: Idaho State University. [Pages unknown]. M.S. thesis.
- McKee, A.; Franklin, J.F.; Waring, R. 1982. Long-term ecological research on the H.J.Andrews Experimental Forest and nearby Research Natural Areas. Bulletin of the Ecological Society of America. 63(2): 116. Abstract.
- McKee, Arthur; Waring, Richard H.; Franklin, Jerry F. 1978. Past and future research on the Andrews Experimental Ecological Reserve. Bulletin of the Ecological Society of America. 59(2): 104. Abstract.
- McKee, Arthur; Zobel, Donald; Bierlmaier, Frederick. 1981. Variation in annual patterns of vegetation and reproductive phenology along an elevational gradient in the western Cascades of Oregon. Bulletin of the Ecological Society of America. 62(2): 131-138. Abstract.
- McShane, M.C.; Carlile, D.W.; Hinds, W.T. 1983. The effect of collector size on forest litter-fall collection and analysis. Canadian Journal of Forest Research. 13(6): 1037-1042.
- Millhollen, Gary L. 1965. The petrography of the basalts of the Cow Creek Lakes area, Malheur County, Oregon. Eugene, OR: University of Oregon. 12 p. M.S. thesis.
- Misch, Peter. 1952. Geology of the northern Cascades of Washington. Mountaineer. 45(13): 4-22.
- Mitchell, Rod. 1979. A checklist of the vascular plants in Abbott Creek Research Natural Area, Oregon. Res. Note PNW-341. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 18 p.
- Mitchell, Rod; Hoir, Will. 1976. Vegetation of the Abbott Creek Research Natural Area, Oregon. Northwest Science. 50(1): 42-58.
- Mitchell, Roderic James. 1972. An analysis of vegetation of Abbott Creek Research Natural Area, Oregon. Corvallis, OR: Oregon State University. 131 p. Ph. D. thesis.
- Moir, W.H.; Hobson, F.D.; Hemstrom, M.; Franklin, J.F. 1979a. Forest ecosystems of Mount Rainier National Park. In: Proceedings, 1st conference on scientific research in national parks; 1976 November 9-12; New Orleans, LA. Trans. and Proc. Ser. 5. Washington, DC: U.S. Department of the Interior, National Park Service; 201-207. Vol. 1.

- Moir, William H.; Franklin, Jerry F.; Hemstrom, Miles A.; Lewis, Sarah Greene. 1979b. A forest classification for Mount Rainier National Park, Washington Cascade Range. Bulletin of the Ecological Society of America. 60(2): 102. Abstract.
- Moir, William H.; Franklin, Jerry F.; Maser, Chris. 1973a. Lost Forest Research Natural Area. Suppl. 4. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 18 p. Supplement to: Federal Research Natural Areas in Oregon and Washington: a guidebook for scientists and educators.
- Moir, William H.; Maser, Chris; Franklin, Jerry F. 1973b. Bagby Research Natural Area. Suppl. 2. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 11 p. Supplement to: Federal Research Natural Areas in Oregon and Washington: a guidebook for scientists and educators.
- Morig, N.R. 1972. The effects of season and host size on infection rates on Digenea in the snail Lymnaea stagnalis wasatchensis Hemphill (Gastropoda: Lymnaeidae) and concomitant biochemical studies on infected hosts. Cheney, WA: Eastern Washington University. [Pages unknown]. M.S. thesis.
- Moring, J.R. 1975a. The Alsea watershed study: effects of logging on the aquatic resources of three headwater streams of the Alsea River, Oregon. 2: Changes in environmental conditions. Fish. Res. Rep. 9. Corvallis, OR: Oregon Department of Fish and Wildlife. 39 p.
- Moring, J.R. 1975b. The Alsea watershed study: effects of logging on the aquatic resources of three headwater streams of the Alsea River, Oregon. 3: Discussion and recommendations. Fish. Res. Rep. 9. Corvallis, OR: Oregon Department of Fish and Wildlife. 24 p.
- Moring, J.R.; Lantz, R.L. 1975. The Alsea watershed study: effects of logging on the aquatic resources of three headwater streams of the Alsea River, Oregon. 1: Biological studies. Fish. Res. Rep. 9. Corvallis, OR: Oregon Department of Fish and Wildlife. 66 p.
- Morrison, Elizabeth. 1973. The Blackwater Island Research Natural Area, a description of the vegetation and environment. Portland, OR: Portland State University. 45 p. B.S. thesis.

- Morrison, R.B. 1965. Quaternary geology of the Great Basin. In: Wright, H.E., Jr.; Frey, D.G., eds. The Quaternary of the United States. Princeton, NJ: Princeton University Press; 265-285.
- Morrow, Robert J. 1985. Age structure and spatial pattern of old-growth ponderosa pine in Pringle Falls Experimental Forest, central Oregon. Corvallis, OR: Oregon State University. 80 p. M.S. thesis.
- Mowat, Edwin L. 1954. A guide to the Pringle Falls Experimental Forest. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 24 p.
- Mullineaux, D.R.; Crandell, D.R. 1962. Recent lahars from Mount St. Helens, Washington. Geological Society of America Bulletin. 73: 855-870.
- Murdorff, Maurice J. 1984. Glaciation in the lower Lewis River Basin, southwestern Cascade Range, Washington. Northwest Science. 58(4): 269-281.
- Myhrum, Ronald P. 1983. Soil variability on steep, skeletal forested slopes of the Umpqua National Forest. Corvallis, OR: Oregon State University. 116 p. M.S. thesis.
- Newcomb, R.C. 1962. Hydrology of the public domain: ground water in the western part of the Cow Creek and Soldier Creek grazing units, Malheur County, Oregon. Water-Supply Pap. 1475E. Washington, DC: U.S. Geological Survey; 159-172.
- Nichols, Don. 1985. Limnological investigation of middle Findley and Kepple and Middle Pine lakes on the Turnbull National Wildlife Refuge. Report. 100 p. On file at: Turnbull Laboratory for Ecological Studies, Eastern Washington University, Cheney, WA.
- Norvell, John R. 1985. Foraging site of alpine birds in relation to snow accumulation. Towson, MD: Maryland State University. 56 p. M.S. thesis.
- O'Farrell, T.P. 1972. Ecological distribution of sagebrush voles, Lagurus curtatus, in south-central Washington. Journal of Mammalogy. 53: 632-636.
- O'Farrell, T.P. 1975a. Seasonal and altitudinal variations in populations of small mammals on Rattlesnake Mountain, Washington. American Midland Naturalist. 94: 190-204.

- O'Farrell, T.P. 1975b. Small mammals, their parasites and pathologic lesions on the Arid lands Ecology Reserve, Benton County, Washington. *American Midland Naturalist*. 93(2): 377-387.
- O'Farrell, T.P. 1975c. Unusual fertilization of a grasshopper mouse, Onychomys leucogaster. *American Midland Naturalist*. 93: 255-256.
- O'Farrell, T.P.; Dilley, J.V. 1974. A comparison of radiation response, cyanide toxicity, and sulfur transferase activity in native North American rodents. *Comparative Biochemistry and Physiology*. 50B: 443-447.
- O'Farrell, T.P.; Fitzner, R.f.; Gilbert, R.O. 1975. Transport of radioactive wastes by jackrabbits on the Hanford Reservation, south-central Washington. *Health Physics*. 29: 9-15.
- O'Farrell, T.P.; Hedlund, J.D.; Olson, R.J.; Gilbert, R.O. 1972. Effects of ionizing radiation on survival, longevity and reproduction in free-ranging pocket mice, Perognathus parvus. *Radiation Research*. 49: 611-623.
- O'Farrell, T.P.; Hedlund, J.D.; Olson, R.J.; Gilbert, R.O. 1973. Radiation effects in free-ranging pocket mice, Perognathus parvus, during the breeding season. *Science*. 179: 289-291.
- O'Farrell, T.P.; Olson, R.J.; Gilbert, R.O.; Hedlund, J.D. 1974. A population of Great Basin pocket mice, Perognathus parvus, in the shrub-steppe of south-central Washington. *Ecological Monographs*. 45: 1-28.
- Old-Growth Definition Task Group. 1986. Interim definitions for old-growth Douglas-fir and mixed conifer forests in the Pacific Northwest and California. Res. Note PNW-447. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 7 p.
- O'Leary, Susan; Beschta, Robert L. 1981. Bedload transport in an Oregon Coast Range stream. *Water Resources Bulletin of the American Water Resources Association*. 17(5): 886-894.
- Oregon State Water Resources Board. 1969. Oregon's long range requirement of water: appendix I-12. General soil map report with irrigable areas, Malheur lake Drainage Basin. Burns, OR. 79 p.
- Otto, Bruce R.; Hutchison, Dana A. 1977. The geology of Jordan Craters, Malheur County, Oregon. *The Ore Bin*. 39(8): 125-140.

- Packard, Patricia. 1976. [Untitled]. Unpublished report. [Unpaged]. On file at: Vale District Office, Bureau of land Management, Vale, OR.
- Pampush, Geoffrey J. 1981. Breeding chronology, habitat utilization, and nest-site selection of long-billed curlew in northcentral Oregon. Corvallis, OR: Oregon State University. 49 p. M.S'. thesis.
- Parker, J. Louise. 1973. Forest Service dedicates 100th Research Natural Area. Journal of Forestry. 71(5): 299-300.
- Parsons, R.B.; Balster, C.A. 1967. Dayton - a depositional planosol, Willamette Valley, Oregon. Soil Science Society of America Proceedings. 31: 255-258.
- pegtel, D.M. 1980. Evidence for ecotypic differentiation in Lupinus-associated Rhizobium. Acta Botanica Neerlandica. 29: 429-441.
- Peterson, Charles R. 1982. Body temperature variation in free living garter snakes (Thamnophis elegans vagrans). Pullman, WA: Washington State University. 170 p. Ph. D. thesis.
- Peterson, Charles R. [In press]. Daily variation in the body temperatures of free-ranging garter snakes, Thamnophis elegans vagrans. Ecology.
- Phillips, R.W.; Campbell, H.J. 1962. The embryonic survival of coho salmon and steelhead trout as influenced by some environmental conditions in gravel beds. In: 14th annual report for the year 1961. Portland, OR: Pacific Marine Fisheries Commission; 60-73.
- Phillips, R.W.; Campbell, H.J.; Hug, W.L.; Claire, E.W. 1966. A study of the effects of logging on aquatic resources: a progress report, 1960-66. Portland, OR: Oregon State Game Commission, Research Division; Prog. Memo. Fish. 3. 28 p.
- Piper, A.M.; Robinson, T.W.; Park, C.F., Jr. 1939. Geology and ground water resources of the Harney Basin, Oregon. Water-Supply Pap. 841. Washington, DC: U.S. Department of the Interior, Geological Survey. 189 p.
- Plocher, Milton D. 1977. Growth and nutrient content of Chamaecyparis lawsoniana seedlings from contrasting soils in Coos County, Oregon. Corvallis, OR: Oregon State University. 72 p. M.S. thesis.

- Pomeroy, Kenneth B.; Dixon, Dorothy. 1966. These are the champs. *American Forests*. 15(5): 14-35.
- Post, Austin; Richardson, Don; Tangborn, Wendell U.; Roosevelt, F.L. 1971. Inventory of glaciers in the north Cascades, Washington. Prof. Pap. 70S-A. Washington, DC: U.S. Geological Survey. 26 p.
- Price, K.R. 1965. A field method for studying root systems. *Health Physics*. 11: 1521-1525.
- Price, K.R. 1966. Uptake of iodine-131 from the soil as related to root distribution and phenology in sagebrush vegetation. Pullman, WA: Washington State University. [Pages unknown]. Ph. D. dissertation.
- Quay, Eric. 1982. Structure and dynamics of old-growth Sitka spruce (*Picea engelmannii* Parry) forests of the Oregon Coast Range. Corvallis, OR: Oregon State University. 109 p. Ph. D. dissertation.
- Rickard, W.H. 1964. Demise of sagebrush through soil changes. *BioScience*. 14: 43-44.
- Rickard, W.H. 1965a. Cesium-137 in *Bromus tectorum* in relation to precipitation regimes and harvest yields. *Journal of Range Management*. 18: 343.
- Rickard, W.H. 1965b. Field observations on fallout accumulation by plants in natural habitats. *Journal of Range Management*. 18: 112-114.
- Rickard, W.H. 1965c. The influence of greasewood on soil-moisture penetration and soil chemistry. *Northwest Science*. 39: 36-42.
- Rickard, W.H. 1965d. Sodium and potassium accumulation by greasewood and hops age leaves. *Botanical Gazette*. 126: 116-119.
- Rickard, W.H. 1967a. Onset of winter dormancy in lizards and beetles. *Northwest Science*. 41: 92-95.
- Rickard, W.H. 1967b. Seasonal soil moisture patterns in adjacent greasewood and sagebrush stands. *Ecology*. 48: 1034-1038.
- Rickard, W.H. 1968. Field observations on the altitudinal distribution of the side-blotched lizard. *Northwest Science*. 42: 1 61 -1 64.

- Rickard, W.H. 1970a. The distribution of ground dwelling beetles in relation to vegetation, season, and topography in the Rattlesnake Hills, southeastern Washington. Northwest Science. 44 (2): 107 -113.
- Rickard, W.H. 1970b. Ground-dwelling beetles on burned and unburned vegetation. Journal of Range Management. 23: 293-294.
- Rickard, W.H. 1971. Observations on the altitudinal distribution of Eleodes hispilabris Say. (Coleoptera: Tenebrionidae) in relation to elevation and temperatures in the Rattlesnake Hills. American Midland Naturalist. 85: 521-526.
- Rickard, W.H. 1981. Litterfall in steppe shrubs: a response to the 1971 drought. Northwest Science. 55: 108-112.
- Rickard, W.H. 1982. Cation content of leaves of desert shrubs and implications for an improved ecologic classification. American Midland Naturalist. 108: 311-316.
- Rickard, W.H. 1985a. Biomass and shoot production in an undisturbed sagebrush-bunchgrass community. Northwest Science. 59(2): 126-133.
- Rickard, W.H. 1985b. Experimental cattle grazing in a relatively undisturbed shrupsteppe community. Northwest Science. 59: 66-73.
- Rickard, W.H. 1985c. Shoot production and mineral nutrient assimilation in cheatgrass communities. Northwest Science. 59(3): 169-179.
- Rickard, W.H.; Cline, J.F. 1965. Mineral transfer in a greasewood community and ion uptake by grasses. Health Physics. 11: 1371-1374.
- Rickard, W.H.; Cline, J.F.; Gilbert, R.O. 1973a. Behavior of winter annuals as influenced by microtopography and elevation. Northwest Science. 47: 44-49.
- Rickard, W.H.; Cline, J.F.; Gilbert, R.O. 1973b. Soil beneath shrub halophytes and its influence upon the growth of cheatgrass. Northwest Science. 47: 213-217.
- Rickard, W.H.; Cline, J.F.; Gilbert, R.O. 1974. Pitfall trapping and direct counts of darkling beetles in cheatgrass communities. Northwest Science. 48: 96-101.

- Rickard, W.H.; Cushing, C.E. 1982. Recovery of streamside woody vegetation after exclusion of livestock grazing. *Journal of Range Management*. 35: 360-361.
- Rickard, W.H.; Garland, T.R. 1983. Trace element content of leaves of desert shrubs in south-central Washington. *Northwest Science*. 57(1): 57-61.
- Rickard, W.H.; Hanson, W.C.; Fitzner, R.E. 1982. The non-fisheries biological resource of the Hanford Reach of the Columbia River. *Northwest Science*. 56: 62-76.
- Rickard, W.H.; Haverfield, L.E. 1965. A pitfall trapping survey of darkling beetles in desert steppe vegetation. *Ecology*. 46: 873-875.
- Rickard, W.H.; Hedlund, J.D.; Fitzner, R.E. 1977. Elk in the shrub-steppe region of Washington: an authentic record. *Science*. 196: 1009-1010.
- Rickard, W.H.; Hinds, W.T.; Gilbert, R.O. 1971. Environmental and biologic observations on contrasting slopes of small earth mounds. *Northwest Science*. 45(1): 7-18.
- Rickard, W.H.; Keough, R.F. 1968. Soil-plant relationships of two steppe desert shrubs. *Plant and Soil*. 29: 205-212.
- Rickard, W.H.; Klepper, E.L.; Sauer, R.H.; Thorp, J.M. 1978. Balsamorhiza rosea and Eriogonum thymoides in Benton County, Washington. *Northwest Science*. 52(2): 100-118.
- Rickard, W.H.; McShane, M.C. 1984. Demise of spiny hopsage following summer wildlife: an authentic record. *Northwest Science*. 58(4): 282-285.
- Rickard, W.H.; Price, K.R. 1984. Iodine in terrestrial wildlife on the U.S. Department of Energy's Hanford site in south-central Washington. *Environmental Monitoring and Assessment*. 4: 379-389.
- Rickard, W.H.; Sauer, R.H. 1982a. Primary production and canopy cover in bitterbrush-cheatgrass communities. *Northwest Science*. 56(3): 250-256.
- Rickard, W.H.; Sauer, R.H. 1982b. Self revegetation of disturbed ground in the deserts of Nevada and Washington. *Northwest Science*. 56: 41-47.

- Rickard, W.H.; Uresk, D.W.; Cline, J.F. 1975. Impact of cattle grazing on three perennial grasses in southcentral Washington. *Journal of Range Management*. 28: 108-112.
- Rickard, W.H.; Uresk, D.W. ; Cline, J.F. 1976. Productivity responses to precipitation by native and alien plant communities. In: *Proceedings, symposium on terrestrial and aquatic ecological studies of the Northwest*; 1976 March 26-27. Cheney, WA: Eastern Washington State College; [pages unknown].
- Rickard, W.H.; Van Scoyoc, S. 1984. Trace element uptake by sagebrush leaves in Washington. *Environmental and Experimental Botany*. 24: 101-104.
- Rickard, W.H.; Warren, J.L. 1981. Canopy cover and phytomass comparisons of steep slopes planted to cheatgrass. *Northwest Science*. 55: 40-43.
- Rickard, William H.; Rogers, Lee E. 1983. Industrial land-use and the conservation of native biota in the shrub-steppe region of western North America. *Environmental Conservation*. 10(3): 205-210.
- Ringe, D. 1973. Geology of Boston Glacier and vicinity. 5 p. Report to the USDA Forest Service. On file at: Forestry Sciences laboratory, Corvallis, OR.
- Ringler, N.H.; Hall, J.D. 1975. Effects of logging on water temperature and dissolved oxygen in spawning beds. *Transactions of the American Fisheries Society*. 104: 111-121.
- Ringler, Neal H. 1970. Effects of logging on the spawning bed environment in two Oregon coastal streams. Corvallis, OR: Oregon State University. 96 p. M.S. thesis.
- Ripley, James Douglas. 1983. Description of the plant communities and succession of the Oregon coastal grasslands. Corvallis, OR: Oregon State University. 234 p. Ph. D. thesis.
- Robinson, W.H.; Wisseman, R.W. 1983. A new species of *Megaselia* in group VII (Diptera: Phoridae). *Proceedings of the Entomological Society of Washington, D.C.* 85: 282-285.
- Rogers, L.E.; Hinds, W.T.; Buschbom, R.L. 1976. A general weight vs. length relationship for insects. *Annals of the Entomological Society of America*. 69(2): 387-389.
- Rogers, L.E.; Rickard, W.H. 1975. A survey of darkling beetles in desert steppe vegetation after a decade. *Annals of the Entomological Society of America*. 68(6): 1069-1070.

- Rogers, L.E.; Uresk, D.W. 1974. Food plant selection by the migratory grasshopper (*Melanoplus sanguinipes*) within a cheat-grass community. Northwest Science. 48: 230-234.
- Rogers, L.E.; Woodley, N.E. 1978. Invertebrate density and biomass distribution patterns in an old-field community in south-central Washington. Northwest Science. 52(2): 100-103.
- Rotenberry, J.T. 1980. Dietary relationships among shrub-steppe passerine birds: competition or opportunism in a variable environment. Ecological Monographs. 50: 93-110.
- Rotenberry, J.T.; Fitzner, R.E.; Rickard, W.H. 1979. Seasonal variation in an avian community structure: differences in mechanisms regulating diversity. The Auk. 96: 499-505.
- Rotenberry, J.T.; Hinds, W.T.; Thorp, J.M. 1975. Microclimatic patterns on the Arid lands Ecology Reserve. Northwest Science. 50(2): 120-130.
- Routson, R.C.; Wildung, R.E.; Garland, T.R. 1977. Mineral weathering on soils of mixed basaltic-felsic parent material over basaltic bedrock. Soil Science. 124(5): 303-308.
- Ruetz, W.F. 1981. Die pazifische edeltanne nobilis eine baumart für höherelagen?: The Pacific noble fir, a species plantable at higher elevations? Allgemeine Forstzeitschrift. 22: 549-551.
- Rupp, S. 1969. Use of radioisotopes as a means of determining root depth involving different plant communities, especially communities growing on sandy soils. Pullman, WA: Washington State University. [Pages unknown]. Ph. D. dissertation.
- Ryan, Bruce. 1985. Lichens of Chowder Ridge, Mt. Baker, Washington. Northwest Science. 59: 279-294.
- Sauer, R.H.; Uresk, D.W. 1976. Phenology of steppe plants in wet and dry years. Northwest Science. 50(3): 133-139.
- Schreiber, R.K. 1973. Bioenergetics of rodents in the northern Great Basin desert. Moscow, ID: University of Idaho. [Pages unknown]. Ph. D. dissertation.
- Schuller, Reid; Evans, Shelley. 1986. Botanical reconnaissance of Meeks Table Research Natural Area, Washington. Res. Note PNW-451. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 22 p.

- Schuller, S. Reid; Cornelius, Lynn C. 1982. Checklist of the vascular plants of Goat Marsh Research Natural Area. Adm. Rep. PNW-3. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 18 p.
- Schuller, S. Reid; Frenkel, Robert E. 1981. Checklist of vascular plants of Steamboat Mountain Research Natural Area. Res. Note PNW-315. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 46 p.
- Schuster, J. Eric; Blackwell, David D.; Hammond, Paul E.; Huntting, Marshall T. 1978. Heat flow studies in the Steamboat Mountain-Lemi Rock area, Skamania County, Washington. Inf. Circ. 62. Olympia, WA: Division of Geological and Earth Resources. 56 p.
- Scott, William E. 1977. Quaternary glaciation and volcanism, Metolius River area, Oregon. Bulletin of the Geological Society of America. 88: 113-124.
- Seyer, Susan Cornelia. 1979. Vegetative ecology of a montane mire, Crater Lake National Park, Oregon. Corvallis, OR: Oregon State University. 187 p. M.S. thesis.
- Sharpe, Grant William. 1956. A taxonomical-ecological study of the vegetation by habitats in eight forest types of the Olympic Rain Forest, Olympic National Park, Washington. Seattle, WA: University of Washington. 335 p. Ph. D. dissertation.
- Shaw, David. 1982. Pollination ecology of an alpine fellfield - Chowder Ridge, Washington. Bellingham, WA: Western Washington University. 60 p. M.S. thesis.
- Shaw, David; Taylor, Ronald J. 1986. Pollination ecology of an alpine fellfield, Mt. Baker area, Washington. Northwest Science. 60(1): 21-31.
- Shelford, Victor E. 1963. The ecology of North America. Urbana, IL: University of Illinois Press. 610 p.
- Shelly, Stephen. 1985. Biosystematic studies of Phacelia capitata (Hydrophyllaceae), a species endemic to serpentine soils in southwestern Oregon. Corvallis, OR: Oregon State University. 120 p. M.S. thesis.
- Shideler, H.J., Jr. 1965. The geology of the Silver Creek area, north Cascades, Washington. Seattle, WA: University of Washington. 94 p. Ph. D. dissertation.

- Skalski, J.R.; McShane, M.C.; Hinds, W.T. 1981. A statistical evaluation of litterfall data from a monitoring forest study. In: Proceedings, environmetrics 81; 1981 April 8-10; Washington, DC. Washington, DC: Environmental Protection Agency; 188 -189.
- Smith, Bradley G.; Henderson, Jan. 1986. Baseline vegetation survey of the Hoh and Dosewallips drainages, Olympic National Park, Washington. 350 p. On file at: Olympic National Park, Port Angeles, WA.
- Sollins, Phil. 1982. Input and decay of coarse woody debris in coniferous stands in western Oregon and Washington. Canadian Journal of Forestry. 12(1): 12-18.
- Spanner, M.A.; Teuber, K.; Acevedo, W. [and others]. 1984. Remote sensing of the leaf area index of temperate coniferous forests. In: Machine processing remotely sensed data: Proceedings of a symposium; 12-14 June 1984; West Lafayette, IN. West Lafayette, IN: Purdue University; 362-370. Sponsored by: Landsat Application and Remote Sensing.
- Spies, Thomas A.; Franklin, Jerry F.; Thomas, Ted B. [and others]. 1985. Patterns of coarse woody debris in a chronosequence of Douglas-fir stands in the western Cascades of Oregon and Washington. Bulletin of the Ecological Society of America. 66: 216. Abstract.
- Springer, J.T. 1979. Some sources of bias and sampling error in radiotriangulation. Journal of Wildlife Management. 43: 926-935.
- Springer, J.T. 1982. Movement patterns of coyotes in south-central Washington. Journal of Wildlife Management. 46: 191-200.
- Steele, Robert W. 1952. Wind River climatological data: 1911-1950. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 21 p.
- Steele, Robert W.; Worthington, Norman P. 1955. Increment and mortality in a virgin Douglas-fir forest. Res. Note 110. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 6 p.
- Steigers, W.D.; Flinders, J.T. 1980. Mortality of mule deer fawns in southcentral Washington. Journal of Wildlife Management. 44: 381-388.

- Stevens, Leslie H. 1975. The distribution and ecology of epiphytic lichens on ponderosa pine in eastern Washington. Cheney, WA: Eastern Washington University. [Pages unknown]. M.S. thesis.
- Stoel, P.F. 1976. Some coyote food habit patterns in the shrub-steppe of southcentral Washington. Portland, OR: Portland State University. [Pages unknown]. M.S. thesis.
- Swanson, F.J.; Gregory, S.V.; Sedell, J.R.; Campbell, A.G. 1982. Land-water interactions: the riparian zone. Chapter 9. In: Edmonds, R.L., ed. Analysis of coniferous forest ecosystems in the Western United States. US/IBP Synthesis Ser. 14. Stroudsburg, PA: Hutchinson Ross Publishing Company; 267-291.
- Swanson, Frederick J. 1981. Fire and geomorphic processes. In: Mooney, H.A., [and others], eds. Proceedings, conference on fire regimes and ecosystems properties. Gen. Tech. Rep. W0-26. Washington, DC: U.S. Department of Agriculture, Forest Service; 401-420.
- Swedberg, Kenneth C. 1973. A transition coniferous forest in the Cascade mountains of northern Oregon. American Midland Naturalist. 89 (1): 1-25.
- Swedberg, Kenneth Charles. 1961. The coniferous ecotone of the northern Oregon Cascades. Corvallis, OR: Oregon State University. 118 p. Ph. D. dissertation.
- Tarrant, Robert F. 1947. First forest soil survey gives significant results. Res. Note 36. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 4 p.
- Thilenius, John F. 1968. The Quercus garryana forests of the Willamette Valley, Oregon. Ecology. 49(6): 1125-1133.
- Thilenius, John Frederick. 1964. Synecology of white-oak (Quercus garryana Douglas) woodlands of the Willamette Valley, Oregon. Corvallis, OR: Oregon State University. 151 p. Ph. D. dissertation.
- Thomas, J.M.; Hinds, W.T.; McShane, M.C.; Skalski, J.R. 1981. Monitoring forest litterfall for nutrient, trace and heavy elements. In: Proceedings, environmetrics 81; 1981 April 8-10; Washington, DC. Washington, DC: Environmental Protection Agency; 186-187.

- Thomas, Ted B.; Franklin, Jerry F.; Means, Joseph E. 1979. Coarse woody debris in a chronosequence of northwestern coniferous forest stands. *Bulletin of the Ecological Society of America*. 60(2): 111. Abstract.
- Thompson, Ralph L. 1979. Vegetation and flora of Myrtle Island Research Natural Area, Douglas County, Oregon. *Bulletin of the Ecological Society of America*. 26(2): 93. Abstract.
- Tiedemann, Arthur R.; Gjertson, Joseph O.; McColley, Phillip D. 1977. Thompson Clover Research Natural Area. Suppl. 5. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 16 p. Supplement to: Federal Research Natural Areas in Oregon and Washington: a guidebook for scientists and educators.
- Tiedemann, Arthur R.; Klock, Glen O. 1977. Meeks Table Research Natural Area reference sampling and habitat classification. Res. Pap. PNW-223. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 19 p.
- Topik, C.; Halvorsen, N.M.; Brockway, D.G. 1985. Interim plant association and management guide, Western Hemlock Zone, Gifford Pinchot National Forest. Report. 80 p. On file at: Mount Hood National Forest, Gresham, OR.
- Uresk, D.W. 1976. Diets of steers on a shrub-steppe rangeland in south-central Washington. *Journal of Range Management*. 29(6): 464-466.
- Uresk, D.W.; Cline, J.F. 1976. Mineral composition of three perennial grasses in a shrub-steppe community in south-central Washington. *Journal of Range Management*. 29: 255-256.
- Uresk, D.W.; Cline, J.F.; Rickard, W.H. 1976a. Impact of wild-fire on three perennial grasses in southcentral Washington. *Journal of Range Management*. 29: 309-310.
- Uresk, D.W.; Gilbert, R.O.; Rickard, W.H. 1976b. Sampling big sagebrush for phytomass. *Journal of Range Management*. 30(4): 311-314.
- Uresk, D.W.; Rickard, W.H. 1975. Livestock forage and mineral relations on a shrub-steppe rangeland in Northwestern United States. In: International Atomic Energy Agency, ed. Nuclear techniques in animal production and health. Vienna, Austria: International Atomic Energy Agency; 25-31.

- U.S. Department of Agriculture, Forest Service. 1938. A guide to the Pringle Falls Experimental Forest. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 16 p.
- U.S. Department of Agriculture, Forest Service. 1981. Mount St. Helens land management plan, final environmental impact statement. Vancouver, WA: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region, Gifford Pinchot National Forest. 288 p.
- U.S. Department of the Interior, Fish and Wildlife Service. 1981. Birds: Malheur National Wildlife Refuge, Oregon. Burns, OR: U.S. Department of the Interior, Fish and Wildlife Service. Foldout with 10 panels.
- U.S. Department of the Interior, Geological Survey. 1977. Hydrologic changes after logging in two small coastal watersheds. Water-Supply Pap. 2037. Washington, DC. 31 p.
- Vale, Thomas R. 1981. Tree invasion of montane meadows in Oregon. *American Midland Naturalist*. 105(1): 61-69.
- Vansickle, J.; Beschta, R.L. 1983. Supply-based models of suspended sediment transport in mountain streams. *Water Resources Research*. 19(3): 768-778.
- Volland, L.A. 1976. Plant communities of the central Oregon pumice zone. R-6 Area Guide 4-2. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. 113 p.
- Waggoner, Gary S. 1980. Vegetation map of Stetattle Creek watershed, North Cascades National Park. Denver, CO: National Park Service, Denver Service Center. 1 p. plus map.
- Wagstaff, Steve; Taylor, Ronald J. 1980. Botanical reconnaissance in the Stetattle Creek Research Natural Area, North Cascades National Park, Washington. Bellingham, WA: Western Washington University. 21 p.
- Wagstaff, Steven. 1986. Genecology of Cerastium arvense and Cerastium beeringianum. Bellingham, WA: Western Washington University. [Pages unknown]. M.S. thesis.
- Walker, George W.; Swanson, Donald A. 1968a. Summary report on the geology and mineral resources of the Harney Lake and Malheur lake areas of the Malheur National Wildlife Refuge, north-central Harney County, Oregon. Bull. 1260-L. Washington, DC: U.S. Geological Survey. 17 p.

- Walker, George W.; Swanson, Donald A. 1968b. Summary report on the geology and mineral resources of the Poker Jim Ridge and Fort Warner areas of the Hart Mountain National Antelope Refuge, Lake County, Oregon. Bull. 1260-M. Washington, DC: U.S. Geological Survey. 16 p.
- Waring, Gerald A. 1908. Geology and water resources of a portion of south-central Oregon. Water-Supply Pap. 220. Washington, DC: U.S. Geological Survey. 86 p.
- Waring, R.H. 1969. Forest plants of the eastern Siskiyou: their environmental and vegetational distribution. Northwest Science. 43 (1): 1-17.
- Waring, R.H.; Cromack, K., Jr.; Matson, P.A. [and others]. 1986. Responses to pathogen-induced disturbance: decomposition, nutrient availability, and tree vigor. On file at: Forest Science Department, Oregon State University, Corvallis, OR.
- Waring, R.H.; Franklin, Jerry F. 1979. Evergreen coniferous forests of the Pacific Northwest. Science. 204(4400): 1380-1386.
- Waring, Richard H. 1982. Land of the giant conifers. Natural History. 91(10): 54-63.
- Webb, Warren L.; Lavenroth, William K.; Szarek, Stan R.; Kinerson, Russell S. 1983. Primary production and abiotic controls in forests, grasslands and desert ecosystems in the United States. Ecology. 64(1): 134-151.
- Weirs, John A.; Nussbaum, Ronald A. 1975. Model estimation of energy flow in northwestern coniferous forest bird communities. Ecology. 56(3): 547-561.
- Wellner, Charles A. [1986]. Salmo Research Natural Area. Suppl. 19. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 15 p. Supplement to: Federal Research Natural Areas in Oregon and Washington: a guidebook for scientists and educators.
- Wiberg, Curt; Greene, Sarah. 1981. Blackwater Island Research Natural Area. Suppl. 11. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 20 p. Supplement to: Federal Research Natural Areas in Oregon and Washington: a guidebook for scientists and educators.

- Wiberg, Curt; McKee, Arthur. 1978. Boston Glacier Research Natural Area. Suppl. 6. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 14 p. Supplement to: Federal Research Natural Areas in Oregon and Washington: a guidebook for scientists and educators.
- Wickman, B.E.; Henshaw, D.L.; Gollob, S.K. 1980. Radial growth in grand fir and Douglas-fir related to defoliation by the Douglas-fir tussock moth in the Blue Mountains outbreak. Res. Pap. PNW-269. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 23 p.
- Wickman, Boyd E. 1978. Tree mortality and top-kill related to defoliation by the Douglas-fir tussock moth in the Blue Mountains outbreak. Res. Pap. PNW-233. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 47 p.
- Wiersma, G.B.; Kohler, Albert; Boelcke, Cristina [and others]. 1985 October. Integrated global background monitoring network: preliminary results from Torres Del Paine and Olympic National Parks. [Unpaged]. On file at: RWU-4151, Forestry Sciences laboratory, Corvallis, OR; paper presented at the 3d international symposium on integrated global monitoring; USSR.
- Wildung, R.E. 1977. Soils of the Pacific Northwest shrub-steppe: occurrence and properties of soils on the Arid Land Ecology Reserve, Hanford Reservation. Richland, WA: Battelle Pacific Northwest Laboratories. 29 p.
- Wildung, R.E.; Garland, T.R.; Buschbom, R.L. 1975. The interdependent effects of soil temperature and water content on soil respiration rate and plant root decomposition in arid grassland soils. Soil Biology and Biochemistry. 7: 373-378.
- Wildung, R.E.; Hajek, B.F.; Price, K.R. 1968. Chemical characterization of the arid soil organic fraction: comparative chemical properties of plant lignins. Rep. BNWL-982. Richland, WA: Atomic Energy Commission. [Pages unknown].
- Wildung, R.E.; Hajek, B.F.; Price, K.R. 1971. Chemical properties of the arid soil organic fraction. Northwest Science. 45: 73-79.
- Williams, Clinton K.; Lillybridge, Terry R. 1983. Forested plant associations of the Okanogan National Forest. R6-Ecol-132b-1983. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. 140 p.

- Williams, Clinton K.; Lillybridge, Terry R. 1985. Forested plant associations of the Colville National Forest. Draft. Colville, WA: Colville National Forest. 95 p.
- Williams, R.C. 1964. Sedimentation in three small forested drainage basins in the Alsea River basin, Oregon. Circ. 490. Washington, DC: U.S. Geological Survey. 16 p.
- Wise, William S. 1970. Cenozoic volcanism in the Cascade mountains of southern Washington. Bull. 60. Olympia, WA: Washington Department of Conservation, Division of Mines and Geology. 45 p.
- Wisseman, R.W.; Anderson, N.H. 1984. Mortality factors affecting Trichoptera eggs and pupae in an Oregon Coast Range watershed. In: Morse, J.C., ed. 4th international symposium on Trichoptera; Clemson, SC. Series Entomologica Vol. 30. The Hague: Dr. W. Junk, publishers; 455-460.
- Wisseman, R.W.; Anderson, N.H. [In press]. Life history of Cryptochia pilosa (Trichoptera: Limnephilidae) in an Oregon Coast Range watershed, USA. In: 5th international symposium on Trichoptera; Lyons, France. Series Entomologica. The Hague: Dr. W. Junk, publishers.
- Wolcott, Ernest E. 1961. Lakes of Washington. Vol. 1: Western Washington. Water Supply Bull. 14. Olympia, WA: Washington State Department of Conservation, Division of Water Resources. 619 p.
- Zabel, Louise. 1970. Some myxomycetes on Pinus ponderosa logs in Turnbull Pine National Wildlife Refuge, Washington. Cheney, WA: Eastern Washington University. [Pages unknown]. M.S. thesis.
- Zobel, Donald B. 1979. Seed production in forests of Chamaecyparis lawsoniana. Canadian Journal of Forest Research. 9: 327-335.
- Zobel, Donald B. 1980. Effect of forest floor disturbance on seedling establishment of Chamaecyparis lawsoniana. Canadian Journal of Forest Research. 10(4): 441-446.
- Zobel, Donald B. 1983. Twig elongation patterns of Chamaecyparis lawsoniana. Botanical Gazette. 144(1): 92-103.
- Zobel, Donald B.; Hawk, Glenn M. 1980. The environment of Chamaecyparis lawsoniana. American Midland Naturalist. 103(2): 280-297.

- Zobel, Donald B.; McKee, Arthur; Hawk, Glenn. 1976. Relationships of environment to composition, structure, and diversity of forest communities of the central western Cascades of Oregon. *Ecological Monographs*. 46(2): 135-156.
- Zobel, Donald B.; Roth, Lewis F.; Hawk, Glenn M. 1985. Ecology, pathology, and management of Port-Orford-cedar. Gen. Tech. Rep. PNW-184. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 161 p.
- Zobel, Donald B.; Wasem, C. Robert. 1979. Pyramid Lake Research Natural Area. Suppl. 8. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 17 p. Supplement to: Federal Research Natural Areas in Oregon and Washington: a guidebook for scientists and educators.

Appendix: List of Research Natural Areas

All established RNA's are listed by State (Oregon first, then Washington) and agency. More than 10 proposed RNA's are in various stages of the planning process. Only the proposed RNA's with ongoing research are listed. Areas are not given for proposed RNA's because the RNA's have not yet been officially established.

Agency and address	Research Natural Area	Area
		<u>Hectares (acres)</u>
	OREGON	
	<u>Bureau of Land Management</u>	
Burns District, Bureau of Land Management 14 South Alvord Street Burns, OR 97720	East Kiger Plateau Little Blitzen Little Wildhorse Long Draw Mickey Basin Pueblo Foothills Rooster Comb Silver Creek South Fork Willow Creek Turn Tum lake	502 (1,240) 1028 (2,539) 97 (240) 198 (489) 227 (561) 1020 (2,519) 291 (719) 259 (640) 92 (227) 616 (1,522)
Coos Bay District, Bureau of Land Management 333 South Fourth Street Coos Bay, OR 97420	Cherry Creek	239 (590)
Eugene District, Bureau of Land Management Box 10226 Eugene, OR 97401	Camas Swale Fox Hollow Mohawk Upper Elk Meadows	113 (219) 66 (161) 113 (294) 82 (205)
lakeview District, Bureau of Land Management Box 151 Lakeview, OR 97630	Lost Forest	3628 (8,961)
Medford District, Bureau of Land Management 3040 Biddle Road Medford, OR 97501	Brewer Spruce Woodcock Bog	85 (210) 112 (271)

Prineville District, Bureau of Land Management Box 550 Prineville, OR 91754	Horse Ridge The Island	243 (600) 66 (162)
Roseburg District, Bureau of Land Management 777 N.W. Garden Valley Road Roseburg, OR 97410	Beatty Creek North Myrtle Creek Myrtle Island Tater Hill	160 (395) 97 (240) 11 (27) 68 (168)
Salem District, Bureau of Land Management 1717 Fabry Road S.E. Salem, OR 97302	The Butte Carolyn's Crown Grass Mountain High Peak-Moon Creek Little Sink Saddleback Mountain	16 (40) 105 (259) 295 (729) 618 (1,526) 32 (79) 55 (136)
Vale District, Bureau of Land Management Box 100 Vale, OR 97618	Honeycombs Jordan Craters Mahogany Mountain Stockade Mountain	4830 (11,930) 12709 (31,391) 130 (321) 308 (761)

Department of the Navy

Department of the Navy Western Division, Naval Facilities Command Building 138, Room 215 Naval Station Seattle, WA 98115	Boardman	2095 (5,175)
---	----------	--------------

National Forests

Deschutes National Forest 1645 Highway 20 East Bend, OR 97701	Metolius Pringle Falls Little Cultus lake proposed Torrey-Charlton proposed	533 (1,317) 545 (1,346)
Fremont National Forest Box 551 Lakeview, OR 91630	Goodlow Mountain	510 (1,260)
Malheur National Forest 139 N.E. Dayton John Day, OR 97845	Canyon Creek	283 (699)
Mount Hood National Forest 2955 N.W. Division Gresham, OR 91030	Bagby Bull Run Mill Creek	227 (561) 146 (361) 330 (815)

Ochoco National Forest Box 490 Prineville, OR 97754	Ochoco Divide The Island	771 (1,919) 21 (52)
Rogue River National Forest 333 W. 8th Street Medford, OR 97501	Abbott Creek Ashland	1077 (2,660) 570 (1,408)
Siskiyou National Forest Box 440 Grants Pass, OR 97526	Coquille River Falls Port-Orford-Cedar Wheeler Creek Hoover Gulch proposed	202 (499) 454 (1,121) 135 (333)
Siuslaw National Forest Box 1148 Corvallis, OR 97339	Flynn Creek Neskowin Crest	271 (669) 476 (1,176)
Umpqua National Forest Box 1008 Roseburg, OR 97470	Limpy Rock	760 (1,877)
Wallowa-Whitman National Forest Box 907 Baker, OR 97814	Indian Creek Alum Beds proposed Bills Creek proposed Boner Flat proposed Craig Mountain proposed Duck Lake proposed Government Draw proposed Lightning Creek proposed Little Granite proposed Pleasant Valley proposed Vance Knoll proposed West Razz Lake proposed	401 (990)
Willamette National Forest Box 10607 Eugene, OR 97440	Gold Lake Bog Middle Santiam Olallie Ridge Wildcat Mountain Hagan proposed Torrey-Charlton proposed	188 (464) 463 (1,144) 291 (719) 405 (1,000)
Winema National Forest Box 1390 Klamath Falls, OR 97601	Blue Jay	85 (210)

Wildlife Refuges

Hart Mountain National Wildlife Refuge Box 111 Lakeview, OR 97630	Poker Jim Ridge	259 (640)
Malheur National Wildlife Refuge Box 113 Burns, OR 97720	Harney Lake Stinking Lake	12000 (29,640) 626 (1,546)
William L. Finley National Wildlife Refuge Route 2, Box 208 Corvallis, OR 97333	Maple Knoll Pigeon Butte Willamette Floodplain	40 (99) 28 (69) 97 (240)

WASHINGTON

Bureau of Land Management

Spokane District, Bureau of Land Management 4217 E. Main Avenue Spokane, WA 99202	Hot Lakes	32 (79)
--	-----------	---------

Department of Energy

Department of Energy Batelle Memorial Institute Pacific Northwest Laboratories Richland, WA 99352	Rattlesnake Hills	33350 (75,000)
--	-------------------	----------------

National Forests

Colville National Forest 695 S. Main Colville, WA 99114	Maitlen Creek Salmo	254 (628) 563 (1,391)
Gifford Pinchot National Forest 500 W. 12th Street Vancouver, WA 98660	Butter Creek Cedar Flats Goat Marsh Sister Rocks Steamboat Mountain Thornton T. Munger	226 (558) 275 (679) 484 (1,195) 87 (215) 567 (1,400) 478 (1,181)

Mount Baker-Snoqualmie National Forest 1022 First Avenue Seattle, WA 98104	Lake Twenty-Two Long Creek North Fork Nooksack Chowder Ridge proposed Green Mountain proposed Lily Lake proposed Perry Creek proposed	320 (790) 259 (640) 569 (1,405)
Okanogan National Forest 1240 S. Second Street Okanogan, WA 98840	Wolf Creek Maple Mountain proposed Tiffany Mountain proposed	60 (148)
Olympic National Forest Box 2288 Olympia, WA 98507	Quinalt Buckhorn Mountain proposed Wet Weather Creek proposed	594 (1,467)
Umatilla National Forest 2517 S.W. Hailey Avenue Pendleton, OR 97801	Pataha Bunchgrass Rainbow Creek	21 (52) 243 (600)
Wenatchee National Forest Box 811 Wenatchee, WA 98801	Meeks Table Thompson Clover Eldorado Creek proposed	28 (69) 81 (200)
	<u>National Parks</u>	
Mount Rainier National Park Tahoma Woods Star Route Ashford, WA 98304	Butter Creek	809 (1,982)
North Cascades National Park Sedro Woolley, WA 98284	Boston Glacier Pyramid Lake Silver Lake Stetattle Creek	1251 (3,090) 48 (119) 683 (1,681) 5605 (13,850)
Olympic National Park 600 East Park Street Port-Angeles, WA 98362	Hades Creek Higley Creek Jackson Creek Twin Creek	221 (556) 194 (475) 65 (159) 40 (98)
	<u>Wildlife Refuges</u>	
Columbia National Wildlife Refuge P.O. Drawer F Othello, WA 99344	Drumheller Sagebrush Steppe	269 (660)

Little Pend Oreille Wildlife Refuge Route 1 Colville, WA 99114	Baird Basin Varline Grove	65 (160) 60 (141)
Ridgefield National Wildlife Refuge 1309 N.E. 134th Street, Room C Vancouver, WA 98685	Blackwater Island	52 (129)
Turnbull Pine National Wildlife Refuge Route 3, Box 101 Cheney, WA 99004	Pine Creek Turnbull Pine	65 (160) 81 (200)
Willapa National Wildlife Refuge 1309 N.E. 134th Street, Room C Vancouver, WA 98685	Diamond Point	36 (88)

Greene, Sarah E.; Blinn, Tawny; Franklin, Jerry F. Research Natural Areas in Oregon and Washington: past and current research and related literature. Gen. Tech. Rep. PNW-197. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station; 1986. 115 p.

This publication lists all completed and current research projects in Research Natural Areas in Oregon and Washington and in those few Research Natural Areas in Idaho that are administered by National Forests in Oregon. The list includes project title, status, source of funding, and principal investigator and address. A list of publications pertaining to Research Natural Areas is also included. Where possible, publications and research projects are correlated. The publication outlines the scientific use and importance of Research Natural Areas as research sites for applied and basic studies. More than 200 projects and 500 publications are included for 88 Research Natural Areas and 23 proposed Research Natural Areas.

Keywords: Natural areas (research), bibliographies (research natural area), land management, research.

The **Forest Service** of the U.S. Department of Agriculture is dedicated to the principle of multiple use management of the Nation's forest resources for sustained yields of wood, water, forage, wildlife, and recreation. Through forestry research, cooperation with the States and private forest owners, and management of the National Forests and National Grasslands, it strives—as directed by Congress—to provide increasingly greater service to a growing Nation.

The U.S. Department of Agriculture is an Equal Opportunity Employer. Applicants for all Department programs will be given equal consideration without regard to age, race, color, sex, religion, or national origin.

Pacific Northwest Research Station
319 S.W. Pine St.
P.O. Box 3890
Portland, Oregon 97208

U.S. Department of Agriculture
Pacific Northwest Research Station
319 S.W. Pine Street
P.O. Box 3890
Portland, Oregon 97208

BULK RATE
POSTAGE +
FEES PAID
USDA-FS
PERMIT No. G-40

Official Business
Penalty for Private Use, \$300

Do NOT detach Label